Vol. 90, Sect. 7, 1953

BRACHIOPODA

H. M. MUIR-WOOD, D.Sc.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE THREE SHILLINGS
February, 1955

- 13.—Biernat, G. Sur trois espèces nouvelles de Brachiopodes du Calcaire à Stringocephalus' des Mts. de Ste-Croix. Acta Geol. Polon. 3 1953: 299-324 pls. 1, 2, in Polish. (Resumé in Russian and in French, sep. pagination 109-117.)
- 14.—Bolger, R. C. & Prouty, C. E. Upper Devonian and Mississippian stratigraphy of Cameron County, Pennsylvania. Proc. Pa. Acad. Sci. 27 1953: 125–129. (Brachiopods listed.)
- 15.—[Borovikov, L. I.] [Main pattern of the stratigraphy, vulcanism and tectonics in the lower Paleozoic of Dzhez-Kazgan-Ulutausk region of the Western part of Central Kazakhstan]. C.R. Acad. Sci. U.R.S.S. n.s. 85 1 1952; 189–190. [In Russian.] (Brachiopods mentioned.)
- 16.—[Botchkovski, F. A.] [Conditions of deposit of layers \mathbb{C}^1_2 and \mathbb{C}^2_2 in Krasnoarmeysk coal bearing region of the Don Basin.] C.R. Acad. Sci. U.R.S.S. n.s. 90 6 1953: 1103–1106. [In Russian.] (Brachiopods mentioned.)

Bradley, J. S. see Newell, N.

17.—Bramkamp, R. A. & Steineke, M. Stratigraphical Introduction. Pt. I of Arkell, W. J. Jurassic Ammonites from Jebel Tuwaiq, Central Arabia. Philos. Trans. Roy. Soc. London B.236 633 1952: 242–256. (Brachiopods mentioned.)

Brena, C. see Ronchetti, C. R.

- **18.—Brown**, I. A. Permian Spirifers from Tasmania. J. Roy. Soc. N.S.W. **86** 2 1953: 55-63 2 pls.
- 19.—Brown, I. A. Martiniopsis Waagen from the Salt Range, India. J. Roy. Soc. N.S.W. 86 4 1953: 100– 107 1 pl., 3 figs.
- 20.—Campbell, K. S. W. The Fauna of the Permo-Carboniferous Ingelara Beds of Queensland. Pap. Univ. Queensland Dept. Geol. 4 3 1953: 1–43 pls. 1–6.
- 21.—Chronic, J. Invertebrate Paleontology (excepting Fusulinids and Corals) in Newell, N. D., Chronic, J. & Roberts, T. G. Upper Paleozoic of Peru II. Mem. geol. Soc. Amer. 58 1953: 43-108 pls. 5-20.

- Cloud, P. E. Jr. see Barnes, V. E.
- 22.—Colivicchi, M. T. Brachiopodi giurassici della Somalia e dell'Ogaden. Mem. Soc. tosc. Sci. nat. 56A 1949: 103-110 1 fig.
- 23.—Collignon, M. Le Jurassique dans le Nord de Madagascar. C.R. Séances Acad. Sci. Paris 236 25 1953 : 2418-2419. (Brachiopods mentioned.)
- 24.—Colo, G. Sur la faune de térébratules multiplissées d'un gisement du Lias moyen de la région d'Ifrane (Causse moyenatlasique). Notes et Mém. serv. géol. Maroc 117 1953: 145–171 7 pls.
- 25.—Cooper, C. A. Sponges, Brachiopoda, Pelecypoda, and Scaphopoda in Permian Fauna et El Antimonio, Western Sonora, Mexico. Smithson. Misc. Coll. 119 2 1953: 21–80. (Brachiopods pp. 21–77, pls. 4–23.)

Cowie, J. W. see Adams, P. J.

- 26.—Crickmay, C. H. New Spiriferidae from the Devonian of Western Canada. Imperial Oil Ltd. Calgary 1953: 1–11 6 pls.
- 27.—Crickmay, C. H. Warrenella, a new genus of Devonian Brachiopods. J. Paleont. 27 4 1953: 596-600 25 text-figs.
- 28.—Croft, W. N. A simplified parallel grinding instrument. Ann. Mag. Nat. Hist. (12) 6 1953: 915-918, 2 text-figs.
- 29.—Dahmer, G. & Quiring, H. Oberdevon in der Antiklinale zwischen den Steinkohlenbecken des Rubagon und des Carrion in Ostasturien, N. Jb. Min. Geol. Paläont. 11 1953: 473–479. (Brachiopods described): 475–478).
- 30.—Dale, N. C. Geology and mineral resources of the Oriskany Quadrangle (Rome Quadrangle). Bull. N.Y. St. Mus. 345 1953: 1–197 38 figs. (Ordovician, Silurian, Devonian Brachiopods figured as text-figs. and listed.)
- 31.—Davis, G. H., III. The contact between the Manlius limestone and the Coeymans limestone in Upper New York State. Circ. N.Y. St. Mus. 35 1953: 1–31. (Brachiopods listed.)

32.—Defretin, S., Durand Delga, M., & Lambert, A. Faunules du Trias supérieur dans le Nord-Constantinois (Algérie). Bull. Soc. Hist. nat. Afr. N. 44 5-6 1953: 185–195 1 pl.

Deleau, P. C. see Jongmans, W.-J.

33.—[Dikenshtein, G. H.] (The boundary between Silurian and Devonian in Podolia). C.R. Acad. Sci. U.R.S.S. n.s. 90 6 1953: 1107-1109. [In Russian.] (Brachiopods mentioned.)

Dobrovolny, E. see Huddle, J. W.

- 34.—Donovan, D. T. The Jurassic and Cretaceous Stratigraphy and Palaeontology of Traill ø, East Greenland. Medd. Grønland 111 4 1953: 1–50. (Brachiopods listed.)
- 35.—Dorn, P. Zur Geologie der Ogliastra (Ostsardinien), insbesondere ihres Jura. N. Jb. Min. Geol. Paläont. Stuttgart BB. 84 B.3 1940: 303-329. (Brachiopods listed.)
- 36.—Drot, J. Description des brachiopodes du Trias et de l'Infralias de Nouvelle-Calédonie. Sciences de la Terre. Ann. Ec. nat. sup. géol. prosp. min. Univ. Nancy 1 1-2 1953: 87-104, pl. xxi.

Drot, J. see Avias, J.

Duncan, H. see Barnes, V. E.

Durand Delga, M. see Defretin, S.

- 37.—Dvořák, J. Stratigraphy and paleontology of the Middle Turonian between Letovice and Opatov (Moravia). Bull. int. Acad. Prague 52 2 1953: 523-542. (Brachiopods listed.)
- 38.—Elias, M. K. New data on Dinantian-Namurian equivalents in America, C.R. 3e Congr. Stratigr. Géol. Carbonifère Heerlen (1951) 1 1952: 189–201. (Brachiopods listed p. 190.)
- 39.—Elliott, G. F. The Classification of the Thecidean Brachiopods, Ann. Mag. Nat. Hist. (12) 6: 1953 693-701 pl. xviii.
- 40.—Elliott, G. F. Brachial development and evolution in Terebratelloid Brachiopods. Biol. Reviews 28 1953: 261-279, 9 text-figs.

41.—Feruglio, E. Alcune nuove forme di Brachiopodi e Molluschi del Terziario e Cretaceo superiore della Patagonia. Pubbl. Inst. Geol. Univ. Torino 2 1953: 115-159, pls. 3, 12, 13, 4 text-figs.

Fischer, A. G. see Newell, N.

- 42.—Fisher, D. W. Additions to the stratigraphy and paleontology of the Lower Clinton in western New York. Bull. Buffalo Soc. nat. Sci. 21 2 1953: 26-36 2 pls. 1 fig. (Brachiopods figd. and listed.)
- 43.—Fisher, D. W. & Rickard, L. V. Age of the Brayman shale, Circ. N.Y. St. Mus. 36 1953: 1-14. (Silurian Brachiopods listed.)
- 44.—Fleming, C. A. The Geology of Wanganui Subdivision. Bull. New Zealand Geol. Surv. N.S. 52 1953: 1–362. (Brachiopods listed.)
- 45.—Flower, R. H. Age of Bliss Sandstone, New Mexico. Bull. Amer. Ass. Petrol. Geol. 37 8 1953: 2054– 2055. (Brachiopods mentioned.)
- 46.—Flügel, H. Die stratigraphischen Verhältnisse des Paläozoieums von Graz. N. Jahrb. Min. Geol. Monatsheft. 1953 2: 55–92. (Brachiopods listed.)
- 47.—Földvári, A. Lead ores and fossiliferous Dinantian (Lower Carboniferous) at Szabadbattyán. Acta geol. hung. 1 1-4 1952: 11-36 text-figs. 1-3 pls. 1-3. (Fossils of Carboniferous strata figured and described pp. 18-19.)
- 48.—Follot, J. Le Carbonifère inférieur du Sahara central. C.R. Congr. géol. int. Alger. 19 1952 sect. 2 fasc. 2 1953: 11–28. (Brachiopods mentioned.)
- 49.—Ford, T. D. New Evidence on the correlation of the Lower Carboniferous Reefs at Castleton, North Derbyshire. Geol. Mag. 89 1952; 346-356. (Brachiopods mentioned.)
- 50.—Freyberg, B. v. Verkieselte Malm-Fossilien in Unterer Kreide, Geol. Blätt. Nordost-Bayern 2 4 1952: 155–156.
- 51.—George, T. N. The Lower Carboniferous Rocks of north-western Ireland. Adv. Sci. London 10 37 1953: 65-73. (Brachiopods mentioned.) [Summary of papers read

- at Brit. Assoc. meeting, Belfast, 1952.1
- 52.—Geyer, O. F. Die Fauna der oolithischen Trümmerkalke des oberen Malm in Württemberg und ihre Beziehungen zur Korallogenen Fazies des Tithon. N. Jb. Geol. Paläont. Stuttgart 1953 3: 130–140. (Brachiopods listed.)
- 53.—Gigout, M. Études géologiques sur la Méséta Marocaine Occidentale (arrière-pays de Casablanca, Mazagan et Safi). Trav. Inst. sci. Chérifien No. 3 1951: I. Text 1-508, II Atlas 27 pls. (Brachiopods figured pls. 2, 4, 5, 6, 7, 8, 9, 13.)
- 54.—Gigout, M. Résumé de nos connaissances sur le Premaire de la Méséta marccaine occidentale. C.R. Cong. géol. int. Alger 19 1952 sect. 2, fasc. 2 1953: 29-40. (Brachiopods mentioned.)
- 55.—Gilbert, J. L. The Upper Lias near Stibbington Hall, N.G.R. 087988. Rep. Huntingdon Fauna Fl. Soc. No. 5 1952 [1953]: 20-21. (Brachiopods listed.)
- 56.—Gill, E. D. Relationship of the Australasian and North African Lower Devonian faunas. C.R. Congr. géol. int. Alger 19 1952, sect. 2, fasc. 2 1953: 87–92. (Brachiopods mentioned.)
- 57.—Glinski, A. Die Freilinger Schichten der Rohrer Mulde (Devon, Eifel). Senckenbergiana 34 1–3 1953: 149–162. (Brachiopods listed.)
- 58.—Görges, J. Neue Invertebrata aus dem norddeutschen Oberoligozän. Paläont. Z. 26 1–2 1952: 1–9, pl. 2.
- 59.—Gunter, G. Paleoecological Import of certain relationships of marine animals to salinity. J. Paleont. 21 1 1947: 77-79.
- 60.—Gunter, G. Extended Remarks on relationships of marine animals to salinity. J. Paleont. 21 5 1947: 498-500.
- 61.—Gussow, W. C. Carboniferous Stratigraphy and Structural Geology of New Brunswick, Canada. Bull. Amer. Assoc. Petrol. Geol. 37 1953: 1713–1816. (Brachiopods mentioned.)

- 62.—Hagn, H. A new Method of preparing oriented thin sections of Foraminifera and other small Paleontologic specimens. Micropaleontologist 7 1 1953: 34–38 fig. 9.
- 63.—Harker, P. A new Edricasteroid from the Carboniferous of Alberta. J. Paleont. 27 2 1953: 288-295. (Brachiopods listed.)
- 64.—Hassan, M. Y. Tertiary Faunas from Kap Brewster, East Greenland. Medd. Grønland 111 5 1953: 1–42, 5 pls. l text-fig. [Also Comm. paléont. Mus. Min. Geol. Univ. Copenhagen 82 1953.]
- 65.—Havlíček, V. On the Ordovician Representatives of the Family Pleetambonitidae (Brachiopoda) Sborn. serv. géol. Tchécoslovaq. 19 1952: 397—428, pls. 13–15. (Summary in Russian: 416–422. (Summary in English: 423–428.)
- 66.—Haysaka, I. On the geological age of the Brachiopod Beds in the Vicinity of Nabeyama. Totigi Prefecture. J. Geol. Soc. Japan 51 608 1944: 154–156. [In Japanese.]
- 67.—Hayasaka, I. Hamletella, a new Permian genus of Brachiopoda, and a new species from the Kitakami Mountains, Japan. Trans. Proc. Palaeont. Soc. Japan N.S. 12 1953: 89-95, pl. 9.
- 68.—Hayasaka, I. & Hayasaka, S. Fossil Assemblages of Molluscs and Brachiopods of unusually large sizes from the Permian of Japan. Trans. Proc. Palaeont. Soc. Japan N.S. 10 1953: 37-44, pl. v.
- 69.—Hayasaka, I. & Uozumi, S. On some recent and fossil Brachiopods from Hokkaido. J. Fac. Sci. Hokkaido Univ. (4) Geol. & Min. 8 2 1952: 86-96.
 - Hayasaka, S. see Hayasaka, I.
- 70.—Henbest, L. G. Morrow group and Lower Atoka formation of Arkansas. Bull. Amer. Assoc. Petrol. Geol. 38 8 1953: 1935–1953. (Brachiopods mentioned.)
- 71.—Henningsmoen, G. Early Middle Cambrian Fauna from Rogaland S.W. Norway. Norsk. geol. Tidsskr. 30 1952: 13-31 pl. ii.

- 72.—Henriques da Silva, G. Fauna fossil de Inhaminga. Mem. Not. Mus. Min. Geol. Univ. Coimbra 34 1953: 1-12 pl. i.
- 73.—Hessland, I. Investigations of the Senonian Kristianstad District, S. Sweden. II. Sedimentology and lithogenesis of the Åhus Series. Bull. Geol. Inst. Univ. Upsala 34 1949-53: 45-106. (Brachiopods p. 68.)
- 74.—Heylmun, E. B. Carboniferous fossils from wells in Paradox Basin, Utah. Bull. Amer. Assoc. Petrol. Geol. 37 9 1953: 2188-2191. (Brachiopods listed.)

Hickox, J. E. see Newell, N.

- 75.—Hignett, E. M. Field meeting at Welshpool. Proc. Geol. Assoc. Lond. 64 2 1953: 100-104.
- 76.—Holland, F. D. Jr. Mississippian Stratigraphy in northeastern Utah and southwestern Montana, Compass Sigma Gamma Epsilon 28 1951: 124-131. (Brachiopods listed.)
- 77.—Holland, F. D. Jr. Stratigraphic Details of Lower Mississippian Rocks of northeastern Utah and southwestern Montana. Bull. Amer. Assoc. Petrol. Geol. 36 9 1952: 1697–1734. (Brachiopods listed.)
- 78.—Holtedahl, O. Norges Geologi, Kambro-siluriske suprakrustale dannelser. Norg. geol. Unders. 164 1 1953: 178-232, text-figs. 69-70, 74, 78, 81, 91.
- 79.—Huddle, J. W. & Dobrovolny, E. Devonian and Mississippian rocks of central Arizona. Prof. Pap. U.S. geol. Surv. 233/D 1952: 65-112. (Brachiopods mentioned.)
- 80.—Hyde, J. E. Mississippian Formations of Central and Southern Ohio. Bull. Ohio Geol. Surv. 51 1953: 1-355. (Brachiopods pp. 217– 289, pls. 4-37.)
- 81.—[Ilina, N. S.] [New data on the stratigraphy of the lower Carboniferous in the deposits of the southern part of Sursk-Mokshinko uplift.] C.R. Acad. Sci. U.R.S.S. n.s. 91 5 1953: 1191-1194. [In Russian.] (Brachiopods mentioned.)

- 82.—Ivanova, E. A. Sur le rôle fonctionnel de l'appareil apical des Spiriferidae, Izv. Akad. Nauk. SSSR. Biol. 1943 5: 265. (Recorded Z.R. 1945). [Transl. in French by Centre Et. Doc. Paléont.] Paris no. 390.]
- 83.—Jaeckel, S. Zur Biologie der Actinie Amphianthus radiatus Carlgren und des Brachiopoden Pelagodiscus atlanticus King. Zool. Anz. 150 1–2 1953: 38–40, I text-fig.
- 84.—Jongmans, W. J. & Deleau, P. C. Les Bassins houillers du sud-Oranais II. Bull. Serv. Carte géol. Algérie (1) 13 1951: 1–48. (Brachiopods p. 45, pl. iii.)
- 85.—Jordana, D. L. & Kindelán, J. A. Explicacion de la Hoja no. 461 Sigüenza (Guadalajara y Soria). Map. geol. Esp. Ist geol. min. Esp. 66 H 1951: 1-66. (Brachiopods listed p. 43, 44 and fig. 31.)
- 86.—Kalapesi, A. S. & Bana, H. R. Stratigraphical and paleontological features of the formations occurring in Zewan and Risin spurs of Kashmir. Proc. Indian Sci. Congr. 40 3 1953: 21–22. (Brachiopods listed.)
- 87.—Kay, M. Geology of the Utica Quadrangle, New York. Bull, N.Y. St. Mus. 347 1953: 1-126 66 figs. (Brachiopods figured fig. 66 and listed.)
- 88.—Kegel, W. Das Paläozoikum der Lindener Mark bei Giessen. Abh. hess. Landesamt. Bodenforsch. 7 1953: 1–55. (Brachiopods listed and described.)
- 89.—Khvorova, I. V. History of the development of the Middle and Upper Carboniferous seas of the western parts of the Moscow syncline, Trans. Inst. Paléozool. Acad. Sci. U.R.S.S. 43 2 1943: 1-216. (Brachiopods ngured pls. 11, 19, 32, 38, 40, 41, 42.)

Kindelån, J. A. see Jordana, D. L.

90.—Kirk, E. & Amsden, T. W. Upper Silurian Brachiopods from southeastern Alaska. Descriptions and illustrations of a fauna from the Islands of Kosciusko and Heceta. Geol. Surv. Prof. Pap. Washington 233c 1952: 53-66 pls. vii-x.

- 91.—[Koroleva, M.] ["Transition layers from Ordovician to Gotlandian in Northern Kazakhstan]. C.R. Acad. Sci. U.R.S.S. n.s. 88 6 1953: 1043—1044. [In Russian.] (Brachiopods mentioned.)
- 92.—Kovalevskii, V. O. On the junction of the Jurassic and Cretaceous formations. Sovr. Nauc. Trud. Moscow Colld. sci. works 1 1950: 159-215. (Upper Jurassic Brachiopods listed p. 215.)
- 93.—(Krasnyi, L. I.) [On the discovery of Devonian faunas in the Shantar Islands.] C.R. Acad. Sci. U.R.S.S. n.s. 93 2 1953: 333-334. [In Russian.] (Brachiopods mentioned.)
- 94.—Krömmelbein, K. Der Horizont mit Spirifer ostiolatus in der Schichtfolge der Prümer Mulde (Devon, Eifel). Senekenbergiana 34 1-3 1953: 61-72. (Brachiopods mentioned.)
- 95.—Kummel, B. Middle Triassic Ammonites from Peary Land. Comm. paléont. Mus. min. geol. Univ. Copenhague 84 1953: 1–21. (Brachiopods mentioned). (Reprinted from Medd. Grønl. 127 no. 1.)
- 96.—Kupfahl, H.-G. Untersuchungen in Gotlandium und Unterdevon des Kellerwaldes und bei Marburg. Notizbl. hess. Landesamt. Bodenforsch. 81 1953: 96–128. (Brachiopods mentioned.)

Lambert, A. see Defretin, S.

- 97.—Lamont, A. Records of Irish Trilobites and Brachiopods. Geol. Mag. 90 6 1953: 433-436.
- 98.—Lanterno, E. Etude géologique des environs de Champéry, Val d'Illiez, Valais, Suisse. Arch. Sci., Genève 6 6 1953: 295-373. (Brachiopods mentioned.)
- 99.—Licharev, B. K. Sur la variabilité de la structure interne de la valve ventrale chez le Spirifer (Licharewia) rugulutus Kutorga. Izv. Akad. Nauk. SSSR., Biol. 1/2 1942: 71. (Recorded Z.R. 1944.) [Transl. in French by Centre Et. Doc. Paléont. Paris no. 348.]

- 100.—Licharew, B. K. Au sujet du nouveau Spirifer permien se rapprochant de Sp. striatus Sow. Izv. Akad. Nauk. SSSR. Biol. 1943 no. 5: 279. (Recorded Z.R. 1945.) [Trans. in French by Centre Et. Doc. Paléont. Paris no. 391.]
- 101.—[Liepin, P. P.] [The lower Devonian beds of the western part of the Main outcrop]. Latv. P. S. R. Zinat. Akad. Vestis 11 64 1952: 113-116. [In Russian.] (Brachiopods mentioned.)
- 102.—Lillie, A. R. The geology of the Dannevirke Subdivision. Bull. New Zealand Geol. Surv. N.S. 46 1953: 1-156. (Brachiopods listed.)
- 103.—Lindström, M. On the Lower Chasmops Beds in the Fågelsång District (Scania). Geol. Fören. Stockholm Förhand. 75 2 473 1953: 125– 148 pl. i.

Linsley, E. G. see Mayr, E.

- 104.—Llopis Lladó, N. Sobre el área de dispersion de Daonella cf. lommelli v. Mojs., en el NE. de España. Mem. Comun. Inst. geol. Barcelona 9 1952: 39-47. (Brachiopods mentioned.)
- 105.—(Lyashenko, A. I.). Rudkinok Deposits. C.R. Acad. Sci. U.R.S.S. n.s. 89 5 1953: 921–923. [In Russian.] (Brachiopods mentioned.)
- 106.—[Lyashenko, A. I.] Mosolov horizon]. C.R. Acad. Sci. U.R.S.S. n.s. 91 1 1953: 149-152. [In Russian.] (Brachiopods mentioned.)
- 107.—[Lyashenko, A. I.] [Vorobyev horizon]. C.R. Acad. Sci. U.R.S.S. n.s. 92 1 1953: 139-142. [In Russian.] (Brachiopods mentioned.)
- 108.—Maack, R. Vestígios pré-Devonianos de glaciação e a sequência de camadas Devonianas no Estado do Paraná. Arq. Biol. Tech. Curitiba 5-6 1950-51 [1953]: 197-230. (Brachiopods listed.)
- 109.—McKerrow, W. S. Variation in the Terebratulacea of the Fuller's Earth Rock. Quart. J. Geol. Soc. 109 1953: 97-124 16 figs.

- 110.—Maksimović, B. V., & Marković, B. Nouvelle contribution à la connaissance de l'Albien et du Cénomanien de la Serbie. Faune de l'Albien et du Cénomanien des environs de Kadina Luka et de Rajac (Serbie occidentale). Recueil trav. Acad. Serb. Sci. 33 Inst. geol. no. 5 183–208, in Czech, 208–210 French summary, pl. i.
- 111.—Marek, L. Contribution to the stratigraphy and fauna of the uppermost part of the Králův Dvůr Shales (Ashgillian). Sborn serv. géol. Tchecoslov. 19 1952: 429-440 in Czech, 441-448 in Russian, 449-455 in English.
- 112.—Marković Stefanović, O. Nouvelle contribution à la connaissance de la situation stratigraphique des couches cretacées aux environs du village Klenje près de Beograd, et leur faune. Recueil trav. Acad. serb. Sci. 23 Geol. Inst. 4 1952: 193-203 in Czech, 203-205 French summary, pl. 5.
- Marković, B. see Maksimović, B. V.
- 113.—Marwick, J. Divisions and Faunas of the Hokonui System (Triassic and Jurassic). Paleont. Bull. Geol. Surv. N.Z. 21 1953: 1–141 and maps. (Brachiopoda pp. 32–46, 84–86, pls. i, ii, xv.)
- 114.—Marwick, J. Faunal migrations in New Zealand seas during the Triassic and Jurassic. N.Z. J. Sci. Tech, 34B 5 1953: 317-321. (Brachiopods mentioned.)
- 115.—Maxwell, W. G. H. Upper Palaeozoic Formations in the Mt. Morgan district, Stratigraphy and Structure. Publ. Univ. Queensland Dept. Geol. 4 4 1953: 1-14. (Brachiopods listed.)
- 116.—Mayr, E., Linsley, E. G. & Usinger, R. L. Methods and Principles of Systematic Zoology. 1953: 1-328 45 figs. (Brachiopods as Phylum in classification p. 55).
- 117.—Melendez, B. El Devonico en Espana. C.R. Cong. géol. int. Alger 19 (1952) sect. 2 fasc. 2 1953: 131– 140. (Brachiopods mentioned.)
- Menyailenko, P. A. see Semikhatova, S. V.

- 118.—Mésigos, M. G. El paleozoico superior de Barreal y su continuación austral "Sierra de Barreal" (provincia de San Juan). Rev. Asoc. geol. argent. 8 2 1953: 65-109.
- 119.—Minato, M. Palaeogeographie des Karbons in Ostasien. Proc. Japan Acad. 29 6 1953: 246-253. (Brachiopods mentioned.)
- 120.—Minato, M. & others. Biostratigraphie des Karbons im Kitakami-Gebirge, Nordöstliches Honshu, Japan, J. geol. Soc. Japan 59 695 1953: 385–399. (In Japanese with German abstract). (Brachiopods listed.)
- 121.—Minato, M. On some reticulate Spiriferidae. Trans. Proc. Palaeont. Soc. Japan n.s. 11 1953: 65-73, 3 text-figs.
- 122.—Montanaro Gallitelli, E. Corallari e Problematici del Permiano del Sosio (Sicilia). C.R. Cong. géol. int. Alger 19 (1952) sect. 2, fasc. 2 1953: 149–163. (Brachiopoda p. 160).
- 123.—Mouterde, R. Faune à affinités italiennes et marocaines dans le Lias moyen Portugais. C.R. Acad. Sci. Paris 236 20 1953 : 1980–1982. (Brachiopods mentioned.)
- 124.—Mouterde, R. Etudes sur le Lias et le Bajocien des bordures Nord et Nord-est du Massif Central Français. Bull. Carte géol. Fr. 50 236 1953: 63–521 (1–459). (Brachiopods listed.)
- 125.—Mouterde, R. Ammonites à affinités italiennes et marocaines dans le Domérien supérieur portugais. Bol. Soc. geol. Portugal 10 1952: 127-132. (Brachiopods listed.)
- 126.—Muir-Wood, H. M. On some Jurassic and Cretaceous Brachiopoda from Traill Ø, East Greenland. Medd. Grønland. 111, 6 1953: 1-15, 1 pl.
- 127.—Muir-Wood, H. M. [Report on Brachiopoda from Gibraltar] in Bailey, E. B. Notes on Gibraltar and the Northern Rif. Quart J. Geol. Soc. 108 1953: 164–165.
- 128.—Muir-Wood, H. M. Techniques employed in grinding and illustrating serial transverse sections of fossil Brachiopods. Ann. Mag. Nat. Hist. (12) 6 1953: 919-922 1 diagram.

129.—Muir-Wood, H. M. & Owen, E. F. The use of Acetic Acid on Fossils. Museums J. 53 1953 (April): p. 21. (Review of article in Proc. Geol. Assoc. 63, 4, 1952).

Nagarova, K. A. see Semikhatova, S. V.

130.—Newell, N., Rigby, J. K., Fischer, A. G., Whiteman, A. J., Hickox, J. E. & Bradley, J. S. The Permian Reef complex of the Guadalupe Mountains region, Texas and New Mexico. A study in Paleoecology, San Francisco 1953: 1-236, pls. 21, 27, 31, 32 and text-figs. (listed p. 228, 229).

131.—Nonaka, J. On some Permian (?) Brachiopods from the vicinity of Itukaiti in the Kwanto Mountainland. J. Geol. Soc. Jap. 51 609 1944 pp. 188–191 3 text-figs.

132.—Nonaka, J. On the Occurrence of Permian Marine shells in the Hsinglung Coal-field in Jehol. J. Geol. Soc. Japan 51 609 1944: 192–195 fig. 4.

Northrop, S. A. see Bass, N. W.

133.—Öpik, A. A. Lower Silurian Fossils from the "Illaenus Band", Heathcote, Victoria. Mem. geol. Surv. Victoria Australia 19 1953: 1–42 pls.

Owen, E. F. see Muir-Wood, H. M.

134.—Owen, T. R. The Structure of the Neath Disturbance between Bryniau Gleision and Glynneath, South Wales. Quart. J. Geol. Soc. 109 3 1954: 333–365.

135.—Padget, P. The Stratigraphy of Cuilcagh, Ireland. Geol. Mag. 90 1 1953: 17-26. (Brachiopods mentioned.)

136.—Paproth, E. Eine Kohlenkalkfauna aus dem Kulmkonglomerat von Frankenberg an der Eder. Paläont. Z. Stuttgart 27 3-4 1953: 169-207 pls. 11, 12.

137.—Parkinson, D. The Carboniferous Limestone of Treak Cliff, Derbyshire, with Notes on the Structure of the Castleton Reef-Belt. Proc. Geol. Assoc. Lond. 64 4 1953; 251–268. (Brachiopods mentioned.)

138.—Pasić, M. Geologische und faunistische Darstellung der Verhältnisse des Čerevički Potok und seiner Quellenarme (Fruška Gora). Recueil trav. Acad. serb. sci. 23 geol. Inst. 4 169–190 in Czech, 191–192 German summary, pl. iii.

139.—Patil, A. M. Study of the marine fauna of the Karwar coast and the neighbouring islands. IV. Echinodermata and other groups. J. Bombay nat. Hist. Soc. 51 2 1953: 429-434. (Brachiopoda p. 431.)

140.—Patton, J. B., Perry, T. G. & Wayne, W. J. Ordovician Stratigraphy and the Physiography of part of southeastern India. Indiana geol. Surv. Field Conf. book 6 1953: 1–29. (Brachiopods listed.)

141.—Percival, E. Orientation of Telotrematous Brachiopoda. Nature 171 4349 1953 (March 3rd): 436.

Perry, T. G. see Patton, J. B.

142.—Picard, L. Silurian in the Negev. (Israel). Bull. Res. Counc. Israel 2 3 1952: 246-248.

143.—Picard, L. Silurian in the Negeb (Israel). C.R. Cong. géol. int. Alger 19 (1952) sect. 2, fasc. 2 1953: 179-183. (Brachiopods mentioned.)

144.—Pillet, J. Sur un niveau grauwackeux dans le Dévonien de Sablé. C.R. Soc. géol. Fr. 9 1952: 151-152. (Brachiopods listed.)

145.—Pray, L. C. Upper Ordovician and Silurian stratigraphy of Sacramento mountains, Otero county, New Mexico. Bull. Amer. Ass. Petrol. Geol. 37 8 1953: 1894–1918. (Brachiopods listed.)

146.—Prescher, H. Die Fossilien der Oberkreide in der Bohrung Dresden 1951. Geologie Berlin 2 4 1953: 253-262. (Brachiopods mentioned p. 257, 260).

147.—[Pronin, A. A.]. [Age of coal-bearing layer Ch, on eastern slope of the Middle Urals]. C.R. Acad. Sci. U.R.S.S. n.s. 85 4 1952: 879-881. [In Russian]. (Brachiopods mentioned.)

148.—[Pronin, A. A.] [Tournaisian deposit on Eastern slope of Middle Ural.] C.R. Acad. Sci. U.R.S.S. n.s. 85 5 1952: 1139-1141. [In Russian.] (Brachiopods mentioned.)

149.—[Pronin, A. A.] [Namurian deposits of the western slope of the Middle Ural.] C.R. Acad. Sci. U.R.S.S. n.s. 90 6 1953: 1123-1125, [In Russian.] (Brachiopods mentioned.)

Prouty, C. E. see Bolger, R. C.

150.—Put, K. Ostravskokarovinsky kamenonhelny revir ne světle theorie cyklické sedimentace. Sborn. přír. Společ. Mor. Ostravé 13 3–4 1952: 335–354 figs. (Brachiopods mentioned.)

Quiring, H. see Dahmer, G.

151.—Rayner, D. H. The Lower Carboniferous Rocks in the North of England: A Review. Proc. Yorks. Geol. Soc. 28 4 1953: 231-315. (Brachiopods mentioned.)

Rickard, L. V. see Fisher, D. W. Rigby, J. K. see Newell, N.

152.—Ronchetti, C. R. & Brena, C. Studi paleontologici sul Lias del Monte Albenza (Bergamo), Brachiopodi dell'Hettangiano. Riv. ital. Pal. Strat. Milano 59 3 1953: 111–134 2 pls.

153.—Rösler, A. Die Fauna aus den "Bornicher Schichten" (Unter-Devon) des Gemeinde-Steinbruches von Holzhausen a.d. Haide (Blatt Katzenelnbogen Taunus). Notizbl. he-s. Landesamt. Bodenforsch. 81 1953: 138–153 2 pls.

Rostovtzeva, L. F. see Semikhatova, S. V.

154.—Ruggieri, G. Eta e faune di un terrazzo marino sulla costa ionica della Calabria. Giorn. Geol. Bologna (ser 2a) 23 1953: 19–168. (Brachiopods listed.)

155.—Sauer, K. Beiträge zur Stratigraphie von Callovien und Oxfordien am Südwestfuss und auf der Sudostabdachung des Schwarzwaldes. Jber Mitt. Oberrh. Geol. Ver. 34 1953: 52–73. (Brachiopods mentioned.)

156.—Savinov, S. I. Evolution des Choristites des mers carbonifères de la région de Saratov. Dobl. Akad. Nauk. SSR. 77 5 p. 889. (Recorded Z.R. 1951). [Transl. in French by Centre Et. Doc. Paléont. Paris, no. 320.]

157.—Scanlon, J. E. The Carboniferous rocks near Garristown, Co., Dublin, and in the adjacent part of Co. Meath. Sci. Proc. R. Dublin Soc. N.S. 26 (8) 1953: 145-156. (Brachiopods listed.)

158.—Schaub, H. Variationsstatistische Untersuchungen an Linguliden aus einem *Lingula-*Horizont des Niederrheinischen Steinkohlengebietes. N. Jb. Geol. Paläont. Stuttgart 11 1953 483-497, 11 textfigs.

159.—Schmidt, H. Rensselandia oder Newberria? Senckenbergiana 34 1-3 1953: 174.

160.—Semichatova, S. V. Quelques Spiriferidae du Carbonifère inférieur. Izv. Akad. Nauk. SSSR. Biol. 1942 1–2: 79. (Recorded Z.R. 1944). [Transl. in French by Centre Et. Doc. Paléont. Paris no. 359.]

161.—[Semichatova, S. V. & Menyailenko, P. A.] [Deposits of Bashkirian beds of the Middle Carboniferous in the Southern part of Don-Medweditz uplift.] C.R. Acad. Sci. U.R.S.S. n.s. 88 (3) 1953: 539-541. [In Russian.] (Brachiopods mentioned.)

162.—[Semichatova, S. V., Nazarova, V. A., & Rostovtzeva, L. F.] [Tournaisian and the lower part of the Visean strata of the river Orel in the Dnieper-Donetz basin]. C.R. Acad. Sci. U.R.S.S. n.s. 92 1 1953: 147-150. [In Russian.]

163.—Shaw, A. B. Paleontology of northwestern Vermont III. Miscellaneous Cambrian Fossils. J. Paleont. 27 1 1953: 137-146 pl. xviii.

164.—Shikama, T. A handbook of illustrated fossils from Japanese and their adjacent Territories. Kyöto 1952. [In Japanese.] (Brachiopoda 221–5 and figured on pls. 1, 2, 3, 6, 7, 8, 12, 15, 19, 38, 53, 55, text-figs. 25–27.)

- 165.—Shrock, R. R. & Twenhofel, W. H. Principles of Invertebrate Paleontology. (Revised edit. of Twenhofel and Shrock Invertebrate Paleontology.) 2nd edit. 1953: 1–816, text-figs. (Phylum Brachiopoda pp. 260–349, 60 figs.)
- 166.—Siegfried, P. Die Heersumer Schichten im Hildesheimer Jura-Zug. Geol. Jahrb. 67 1953: 273– 359. (Brachiopods p. 330, 332.)
- 167.—Sikošek, B. Stratigraphie und Tektonik des Gebietes zwischen Mali Izvor—Minicévo—Kadibogaz in Ostserbien. Recueil trav. Acad. Serb. Sci. 23, Geol. Inst. 4 1952: 146–165 in Czech, 166–167 German summary, pl. iii, 2 maps.
- 168.—Simpson, I. M. Daviesiella destinezi (Vaughan), a Lower Carboniferous Index Fossil in North-west Ireland. Geol. Mag. 90 1953; 193–200 pl. ix, 3 text-figs.
- 169.—Sinclair, G. W. Middle Ordovician Beds in the Saguenay Valley, Quebec. Amer. J. Sci. 251 1953: 841–854.
- 170.—Sinclair, G. W. Notes on forensic Paleontology. J. Paleont. 27 4 1953: 608–609.
- 171.—Skjeseth, S. On the Lower Didymograptus zone (3B) at Ringsaker, and contemporaneous Deposits in Scandinavia. Norsk. Geol. Tidsskr. 30 1952: , 138–182. (Brachiopods listed.)
- 172.—[Smekhov, E. M.] [Sari Su dislocations.] C.R. Acad. Sci. U.R.S.S. n.s. 92 6 1953: 1209-1211. [In Russian.] (Brachiopods mentioned.)
- 173.—[Smirnov, G. A. and Smirnova, T. A.] [Age of granite intrusion of Ural.]. C.R. Acad. Sci. U.R.S.S. n.s. 90 6 1953: 1139-1141. [In Russian.] (Brachiopods mentioned.)
 - Smirnova, T. A. see Smirnov, G. A.
- 174.—Sokolskaja, A. N. [Evolution of the genus Productella Hall and related forms in the Palaeozoic of the Moscow region.] Trans. Paleont. Inst. Acad. Sci. U.R.S.S. Moscow 14 3 1948: 1-168, 10 pls. (In Russian.)

- 175.—Solle, G. Die Spiriferen der Gruppe arduennensis-intermedius im rheinischen Devon. Abh. hess. Landesamt. Bodenforsch. 5 1953: 1-156 18 pls. 45 text-figs.
- 176.—Spreng, A. C. Mississippian Cyclic Sedimentation, Sunwapta Pass Area, Alberta, Canada. Bull. Amer. Assoc. Petrol. Geol. 37 4 1953: 665– 689. (Brachiopods listed.)
- 177.—Stchépinsky, V. Le Bathonien moyen d'Arc-en-Barrois (Haute-Marne). C.R. Somm. Séan. Soc. Geol. Fr. 1953 3 (2 Fev.): 50-52. (Brachiopods mentioned.)
 - Steineke, M. see Bramkamp, R. A.
- 178.—Straaten, L. M. J. U. Van. Sedimentology of Recent Tidal Flat deposits and the Psammites du Condroz (Devonian). Geol. en Minbouw (N.S.) 16 no. 1, 1954: 25–47. (Brachiopods mentioned.)
- 179.—Straw, S. H. The Silurian Succession at Cwm Graig Ddu (Breconshire). Liverp. and Manchr. Geol. J. 1 2 1953: 208–219. (Brachiopods listed and distribution discussed.)
- 180.—Sugiyama, T. New Find of Atrypa from Japan. J. Geol. Soc. Japan 49 1942: 73-75, fig. 1. (In Japanese, Resumé in English p. 75.)
- 181.—Sylvester-Bradley, P. C. A stratigraphical guide to the fossil localities of the Scarborough district. Scarborough Field Nat. Soc. Natural History Scarborough District 1: 1953 19-48. (Brachiopods listed.)
- 182.—Tachibana, K. On the occurrence of *Productus numnularis* (Winchell) from the late Upper Devonian of Japan. Sci. Rep. Tokyo Bunrika Daig. 2C 14 1953: 212-216 1 pl., 1 fig.
- 183.—Tasch, P. Causes and paleoecological significance of dwarfed fossil marine invertebrates. J. Paleont. 27 3 1953: 356–444. (Brachiopods mentioned.)
- 184.—Teixeira, C. La Faune Cambrienne de Vila Boim au Portugal. Bol. Soc. Geol. Portugal. 10 1952: 169-188, pl. xvi-xviii.
 - Twenhofel, W. H. see Shrock, R. R. Usinger, R. L. see Mayr. E.

185.—Veselinović, D. Die Ergebnisse der geologischen Untersuchungen im Gebiet von Vratarnica und M. Izvor in Ostserbien. Recueil trav. Acad. Serb. Sci. 23 geol. inst. 4 1952: 121–140, 143 in Czech, 140–142 in German, pls. i-ii geol. map.

186.—Vigneaux, M. & Buge E. Brachiopodes in Lecointre, G. Recherches sur le Neogène et le Quaternaire marins de la côte Atlantique du Maroc. Notes et Mém. Serv. Géol. Maroc 99 2 Paléontologie 1952: 24.

187.—[Vyalov, O. S.] [Permian Sea in Djungaria]. C.R. Acad. Sci. U.R.S.S. n.s. 85 2 1952: 401-404. [In Russian.] (Brachiopods listed.)

188.—[Vyalov, O. S.] [Crossection of Eastern Djungaria]. C.R. Acad. Sci. U.R.S.S. n.s. 85 3 1952: 623-626. [In Russian.] (Brachiopods mentioned.)

189.—Waern, B. Paleontology and Stratigraphy of the Cambrian and Lowermost Ordovician of the Bödahamn Core. Bull. Geol. Inst. Univ. Upsala 34 1949-53: 224-250 pl. i.

190.—Walter, Jr. J. C. Paleontology of Rustler formation, Culberson County, Texas. J. Paleont. 27 5 1953: 679-702, pls. 70-73, figs. 1-3.

Wayne, W. J. see Patton, J. B. Whiteman, A. J. see Newell, N.

191.—Whittard, W. F. The Enigma of the earliest Fossils. Proc. Bristol Nat. Soc. 28 4 1953: 289-304. (Brachiopods mentioned.)

192.—Whittard, W. F. & others. Report of Summer Field Meeting in South Shropshire 1952. Proc. Geol. Assoc. 64 3 1953: 232-250. Brachiopods mentioned.)

193.—Williams, A. The geology of the Llandeilo district, Carmarthenshire. Quart. J. Geol. Soc. 108 1953: 177–208. (Brachiopods listed.)

194.—Williams, A. The classification of the Strophomenoid brachiopods. J. Wash. Acad. Sci. 43 1 1953: 1-13, 13 figs.

195.—Williams, A. North American and European Stropheodontids: their Morphology and Systematics. Mem. Geol. Soc. Amer. 56 1953: 1-67, 13 pls.

196.—Williams, A. The morphology and classification of the Oldhaminid brachiopods. J. Wash. Acad. Sci. 43 9 1953: 279–287 3 pls.

197.—Wind, J. Kridtaflejringer i Jylland. Flora og Fauna 59 4-5 1953: 73-84. (Brachiopod synonyms listed.)

198.—Wright, J. A. Brachiopod communities in Avonian reef limestones of the Pennines. Summ. Theses Univ. Glasgow 1951-52 1952: 47-48.

199.—Zak, H. Fauna kulmowa z Jabłowa na Dolnym Ślasku (The Culm fauna from Jablow in Lower Silesia). Bull. Inst. géol. Warsaw 72 1953: 1-37 Polish, 39-42 Russian, 43-46 English abstract, pls. ii. iii.

II.—SUBJECT INDEX.

General.—Former statement that pedicle valve is dorsal in position in embryo corrected to ventral, Perci-VAL 141; silicified Upper Jurassic derived fossils, in Lower Chalk of Bavaria, FREYBERG 50: Middle Lias fauna of Portugal with affinities with Italy and Morocco, and small brachiopods Koninckella liasina, Rhynchonella pygmaea, and Kingena deslong-schampsi in Lower Toarcian of Portugal, MOUTERDE 123; Permian Spirifers from Tasmania Trigonotreta redefined and new genus, Brown 18; Permian brachiopods as reef dwellers in Texas and New Mexico, NEWELL and others 130; new term adminicula for subvertical plates in apices of ventral and sometimes dorsal valve, not reaching hinge teeth or margin of delthyrium, Brown 19; Mississippian brachiopods from Ohio with new genera, Hyde 80; Japanese fossils illustrated, Shikama 164; Upper Palaeozoic Spiriferidae of Japan with key to genera, and classification by external spines, MINATO 121: Australasian and N. African Lower Devonian faunas related, GIL 56; Upper Silurian Bra-chiopods from Alaska with one new genus, Kirk & Amsden 90; revision of genus and species concepts in Strophomenoids, WILLIAMS 194, 195; Oldhaminoids, WILLIAMS 196; earlier determination of beds as Cambrian

from occurrence of Obolus and Siphonotreta found to be incorrect from occurrence in beds of Platystrophia in Silurian Nubian Sandstone, Negev, Picard 142; Plectambonitid fauna of Czechoslovakia, Havliček 65; Norwegian fossils figured, Holledahl 78; presence of brachiopods in Pre-Cambrian rocks not proved, Whittard 191; Brachiopods illustrated in Charlesworth's Geology of Ireland discussed, Lamont 97; new Permian Spirifer near S. striatus, Licharew 100.

Techniques. — Illustration of serial sections, MUIR-WOOD 128; Parallel grinding instrument, CROFT 28; Use of acetic acid in etching silicified shells, MUIR-WOOD & OWEN 129; mounting small specimens in artificial resins for sectioning, Hagn 62.

Textbooks. — Handbook of Japanese Fossils figured, Shikama 164; Shrock & Twenhofel 165.

Biometrics. — Terebratulacea from Fuller's Earth, McKerrow 109; Martiniopsis inflata variation, Brown 19; Coal Measure Lingula from Germany, Schaub 158; Schizophoria resupinata and Martinia aff. glabra from Lower Carboniferous of Pennines, Wright 198; species of Hysterolites and Acrospirifer, Solle 175.

Classification and Nomenclature.— Thecidea, Elliott 39; phylum Brachiopoda, Mayr, Linsley & Usinger 116; etymology and emendation of zoological names, SINCLAIR 170: synonyms listed of species of Crania, Magas, Argyrotheca, Megathyris and Terebratulina, WIND 197; Terebratulacea of Fuller's Earth, variation and Linnaean species, McKerrow 109; morphology and classification of Oldhaminids, Williams 196; Stro-phomenoids, Williams 194, 195; Upper Palaeozoic Spiriferidae of Japan, key and classification by uniramous or biramous spines, MINATO 121; Newberria Hall 1891 synonym of Rensselandia Hall 1867, SCHMIDT 159; Gypidula in British Aymestry limestone, ALEXANDER 2: Pentameracea, Amsden 3; new superfamilies Chonetacea and Stenoscismacea proposed, Kutorginacea transferred from Palaeotremata to Protremata near

Orthacea, Shrock & TWENHOFEL 165; Orthotetids key to identification, and new genus *Hamletella*, HAYASAKA 67.

STRUCTURE.

Loop development and relation to lophophore in Terebratelloids, EL-LIOTT 40; shell structure in Thecidea. ELLIOTT 39; Orthotetids, morphology, HAYASAKA 67; Martiniopsis, Brown 19; shell structure of Oldhaminids, WILLIAMS 196; morphology illustrated, and pseudopunctate shell structure of Strophomenoids, WIL-LIAMS 194; Bornhardtina and Emanuella morphology and punctation, BIERNAT 13; Daviesiella destinezi, SIMPSON 168; new punctate meristelloid genus *Tyrothyris*, ÖPIK 133; Pentameracea, AMSDEN 3; Spiriferidae, Ivanova 82; Variability in internal structure of pedicle valve of AREW 99: Lower Carboniferous Spiri-

Transverse Sections. — Clavigera from New Caledonia, Drot 36; Waldheimia impressa from German Upper Jurassio, Haon 62; Martiniopsis inflata from Permian of Salt Range, Brown 19; Bornhardtina skalensis and Emanuella sanctacracensis, Biernat 13; Martiniidae, and new genus Warrenella, CRICKMAY 27; new spiriferid Allanella, CRICKMAY 26; Camarotoechia reesidei, Alrypella scheii and tenuis, borealis, Lissatrypa atheroidea, Alaskospira dunbari, Ur. Silurian Alaska, Kirk & Amsden 90; Pentameracea, Amsden 3.

· Larval development. — Terebratella inconspicua also of Tegulorhynchia nigricans and orientation of valves. Former statement that pedicle valve is dorsal now corrected to ventral, Percival 141.

EVOLUTION

Terebratelloids, Elliott 40; Thecidids, Elliott 39; Productellids, Sokolekaja 174; Oldhaminids, Williams 196; Strophomenoids, Williams 194, 195; Devonian Spiriferids, Solle 175; Christites, Savinov 156

ECOLOGY

Relationship of marine animals to salinity, Gunter 59, 60; faunal migration, Marwick 114; Pelagodiscus atlanticus in commensal association with Actinian Amphianthus radiatus in Gulf of Guinea, Jaekel 83; Permian reef dwellers, Newell & others 130; giant assemblages in bitumenous limestone possibly due to hypertrophy, Permian of Japan, Hayasaka 68; dwarfed faunas in Pennsylvanian of Kansas, Tasch 183; brachiopod communities in Lower Carboniferous of Pennines, Wright 198.

DISTRIBUTION

RECENT.

ELLIOTT 40; PERCIVAL 141; PATIL 139.

Fossir.

Palaeozoic.—(L^r.) Ireland, Lamont 97; (L^r.) Kazakhstan, Borovikov 15; Morocco, Gigout 54.

Cambrian,—England (Shropshire), WHITTARD 192; Öland, WAERN 188; NOrway, HENNINGSMOEN 71; HOLTEDAHL 78; POTUGAL, TEXEIRA 184; ISFAEL, PICARD 143; Japan, SHIKAMA 164; New York State, KAY 87; (UT.) New Mexico, FLOWER 45; Vermont, SHAW 163.

Ordovician.—General, WILLIAMS 194, 195; Wales, WILLIAMS 193; HIGNETT 75; England (Shropshire), WHITTARD 192; Germany, KEGEL 88; (L.) Scandinavia, SKJESETH 171; Scania, LINDSTRÖM 103; (L. P.) Öland, WAERN 189; NOTWAY, HOLTEDAHL 78; Czechoslovakia, MAREK 111; HAYLÍČEK 65; AUSTIA, FLÜGEL 46; ISTAE, PICARD 148; N.E. Greenland, ADAMS & COWIE 1; KAZAKHSTAN, KOROLEVA 91; JAPAN, SHIKAMA 164; MOTOCCO, GIGOUT 53; (Middle) Ontario, SINCLAIR 169; New YORK STATE, DALE 30; KAY, 87; New Mexico, PLOWER 45; PRAY 145; Indiana, PATTON, PERRY & WAYNE 140; (UT.) Central Texas, BARNES, CLOUD & DUNCAN 9; (L.). Colorado, BASS & NORTHROP 10.

Silurian. — General, Amsden 3; Williams 194, 195; England (Shropshire), Whittard 192; Alexander 2; Wales, WILLIAMS 193; HIGNETT 75; STRAW 179; GETMANY, KEGEL 88; KUPFAHL 96; AUSTIA, FLÜGEL 46; POLAND, DIKENSHTEIN 33; ISRAE, PICARD 142, 143; KAZZARASTAN, KORGLEVA 91; Japan, SHIKAMA 164; N.E. Greenland, ADAMS & COWIE 1; MOTOCCO, GIGGUT 53; New YORK State, FISHER 42; FISHER & RICKARD 43; KAY 87; DALE 30; New Mexico, PRAY 145; S.E. Alaska, KIRK & AMSDEN 90; Australia (Victoria), OPIK 133.

Devonian. — (Siegenian) France, PILLET, 144; Belgium, Van Straaten 178; Germany, Schmidt 159; Kegel. 88; (Givetian) Eifel, Glenski 57; Krommelbein 94; Solle 175; Flügel 46; (U^I.) Spain, Dahmer & Quiring 29; Melendez 117; Poland, Dikenshtein 33; Russia, Liepin 101; Moscow Basin, Sokolskaya 174; Lyastenko 105, 106, 107; Tatar Republic, Batanova 12; Japan, Shikama 164; Shantar Islands, Okhotsk Sea, Krasnyi 93; (U^I.) Japan, Tachibana 182; Sugiyama 180; Minato 121; Morocco, Gigout 53; (Mid. and U^I.) W. Canada, Crickmay 26, 27; New York State, Davis 31; Dale 30; Arizona, Huddle & Dobrovolny 79; Brazil, Maack 108; Queensland, Maxwell 115; (L^I.) Australasia and N. Africa, Gill 56.

Carboniferous. — General, Williams 196, 194; England (Shropshire), Whittard 192; (Lf.) Raynber 151; Derbyshire, Parkinson 137; Ford 49; Wright 198; S. Wales, Owen 134; Ireland, Scanlon 157; George 51; Simpson 168; Padget 135; Belgium, Asselberghs 6; (Middle) Poland, Biernat 13; Moravia, Put 150; Hungary, Foldvári 47; Silesia, Zak 199; Germany, Kegel 88; (Uf.) Schaub 158; Culm, Paproth 136; Russia, Don Basin, Botchkovski 16; (Lf.) Moscow Basin, Sokolskaya 174; Russia, Semikhatova & Menyaldenko 161; Ural Ms., Pronin 147, 148; Namurian, Pronin 149; Ilina 81; (Mid. Uf.) Moscow Basin, Khyorova 89; Dnieper & Don Rivers, Semikhatova, Nazarova & Rostovtzava 162; Kazakhstan, Smekhov 172; Smirnov & Smirnova 173; (Uf.) Japan, Hayasaka 66; (Lf. and Uf.) Minato & others 120; Minato 121; Shikama 164;

E. Asia, Minato 119; Morocco, Gigout 53; (L^r.) Sahara, Follot 48; (U^r.) Algeria, Jongmans & Deleau 84; Canada, New Brunswick, Gussow 61; Alberta, Harker 63; Spreng 176; Kansas, Tasch 183; Oklahoma, Elias 38; (L^r. Penn.) Arkansas, Henbest 70; Utah Wells, Heylmun 74; Holland 76, 77; Ohio, Hyde 80; Pennsylvania, Bolger & Proutry 14; Peru, Chronic 21; Argentine, Mésigos 118; Arizona, Huddle & Dobrovolny 79; (L^r. and Middle) Queensland, Maxwell 115.

Permian. — General, Williams 194, 196; (L^r. Mid.) Moscow Basin, Sokolskaja 174; Sicily, Montanaro Gallitelli 122; (L^r.) Manchuria, Nonaka 132; India, Salt Range, Brown 19; Djungaria, Vyalov, (L^r.) 187, 188; Japan, Nonaka 131; Hayasaka, 67, 68; Kashmir, Kalapesi & Bana 86; Texas, Walter 190; Newell & others 130; Mexico, Cooper 25; (L^r.) Peru, Chronic 21; Tasmania, Brown 18; Queensland, Campbell 20.

Trias. — Spain, LLOPIS LLADO 104; Algoria, DEFRETIN, DURAND DELGA & LAMBERT 32; (Mid.) Peary Land, KUMMEL 95; New Caledonia, DROT 36; New Zealand, Mar-WICK 114.

Rhaetic. — New Zealand, Marwick 113; New Caledonia, AVIAS & DROT 7.

Jurassic. — (Ur. Lias) England (Huntingdon), Gilbert 55; Sylvester Bradley 181; McKerrow 109; (Bathonian), France, Stochépinsky 177; (Lias & Baj.), Mouterde 124; (Ur.), Hagn 62; (Ur.) Sauer 155; Siegffried 166; (Lr. Lias) Gibraltar, Muir. Wood 127; Spain, Jordana & Kindelán 85; Batalier 11; (Lias) Portugal, Mouterde 123, 125; (Lr. Lias) Alps, Ronchetta & Brena 152; Sardinia, Dorn 35; E. Serbia, Veselmović 185; Sikošek 167; Carpathians, Andrusov 4; (Ur.) Galicia, Kovalevskii 92; (Ur.) Greenland, Muir. Wood 126; Donovan 34; Arabia, Arkell 5; Bramkamp & Steineke 17; Somaliland, Colivichi 22; (Bath.) N. Madagascar, Collignon 23; (Lias) Atlas Mts.,

Morocco, Colo 24; (Bath; Ur. J.) Kenya, Ayers 8; New Zealand, Marwick 113.

Cretaceous. — England, Sylvester Bradley 181; Germany, Freyberg 50; Prescher 146; Sweden, Hessland 73; Switzerland, Lanterno 98; (Turon.) Moravia, Dvorak 37; Denmark, Wind 197; Serbia, Marsimović & Marković 110; Marković - Stefanović 112; Pasic 138; Carpathians, Andrusov 4; E. Greenland, Donovan 34; Muir-Wood 126; (Neocomian and Ur. Cret.) Morocco, Gigout 53; Patagonia, Feruelio 41.

Tertiary. — Morocco, VIGNEAUX & BUGE 186; Mozambique, Hen-RIQUES DA SILVA 72; E. Greenland, HASSAN 64.

Oligocene.—N. Germany, Görges 58.

Miocene.—New Zealand, Lillie 102.

Pliocene. — Italy, Ruggieri 154; Japan, Hayasaka & Uozumi 69; Patagonia, Feruglio 41; New Zealand, Lillie 102; Fleming 44.

Quaternary. — Morocco, Vig-NEAUX & BUGE 186; Japan, HAYA-SAKA & UOZUMI 69.

III.—SYSTEMATIC INDEX.

NOTE.—Classification at present under review but mainly according to C. Schuchert and C. M. Le Vene in Fossilium Catalogus 1 42 Brachiopoda 1929, and as emended by various authors.

Full references are given only in the case of new genera and species. In other cases the numeral in "Large bold Clarendon" refers to the list of titles where the full reference will be found. In the case where a reference is given in the Systematic Part the volume number is printed in "Small bold Clarendon".

ATREMATA OBOLACEA

OBOLIDAE

†Bröggeria salteri figd. p. 234, Waern 189. †Leptobolus insignis mut. latus figd. p. 29, Dale 30.

†Lingulella lepis figd. p. 189
Ordovician Norway, Holtedahl 78;
L. sp. figd. p. 19, Henningsmoen 71;
L. ferruginea p. 230, Waern 189;
L. delgadoi p. 181 figd., Teixeira
184; L. ohimensis figd. pl. 2, Shikama
164; L. stonei Sp. nov. cooperi nom.
nov. for L. vermontensis Ulrich &
Cooper 1938 (non Howell) p. 141,
Cambrian Vermont, U.S.A., Shaw
J. Paleont. 27 I 1953.

†Obolus (Westonia) blackwelderi figd. pl. 2, Shikama 164.

LINGULACEA.

LINGULIDAE.

Lingula sp. dried shells on Karwar beach, Patil 139.

†Lingula squamiformis p. 45 figd. Jongmans & Deleau 84; L. meeki figd. p. 217, sp. p. 218, Hyde 80; L. tenuissima figd. p. 192, Defretin, Durand Delga and Lambert 32; L. subtriangulata figd. p. 28 pl. 10, Fisher 42; L. perovata, clintoni, oblata figd. p. 90, Dale 30.

†Trigonoglossa sp. p. 50, Chronic 21.

NEOTREMATA. SIPHONOTRETACEA.

OBOLELLIDAE

†Botsfordia granulata figd. pl. 1, Shікама 164.

†Obolella rotundata figd. p. 183 Cambrian, Norway, Holtedahl 78.

ACROTRETACEA

ACROTRETIDAE

†Acrothele asiatica figd. pl. 2, SHIKAMA **164**; A. coriacea figd. p. 183 Cambrian Norway, HOLTEDAHL **78**.

†Acrothele (Redlichella) granulata figd. p. 20, Henningsmoen 71; A. (R.) granulata p. 229, Waern 189.

†Acrotreta socialis p.21, Henningsmoen 71; A. seebachi figd. p. 189 Ordovician Norway, Holfedahl 78; A. coreanica figd. pl. 2, Shikama 164; A. spp. p. 230, conula figd., cf. oelandica p. 235, Waern 189.

DISCINACEA TREMATIDAE

†Lingulodiscina newberryi figd. p. 218, Hyde 80.

DISCINIDAE

†Discina kawhiana figured Tithonian New Zealand, MARWICK 113.

†Lindstroemella aff. L. patula p. 52 figd., Chronic 21.

†Oehlertella pleurites p. 219, Hyde 80.

†Orbiculoidea sp. p. 701 figd., WALTER 190; O. prietana p. 51 figd., sp. p. 52, CHRONIC 21; O. cf. forbesii p. 27, KEGEL 88; O. sp. 1, p. 21 figd., sp. 2 p. 22 figd., COOPER 25.

Pelagodiscus atlanticus in Gulf of Guinea at depth of 2500 metres in commensal association with Actinian Amphianthus radiatus, JAECKEL 83 p. 38.

CRANIACEA

CRANIIDAE

†Crania egnabergensis Retzius 1781 said to be syn. C. ignabergensis d'Orb. 1847, C. brattenburgicus Von Schlotheim, syn. C. tuberculata Nilsson 1826 and C. transversa Lundgren 1885, C. davidsoni Bosquet 1860 with lectotype Bosquet 1860, pl. 2, fig. 3 syn. C. tubulosa Brunnich Nielsen 1909, WIND 197; C. laevis figd. p. 219, Hyde 80.

PROTREMATA ORTHOIDEA ORTHACEA

BILLINGSELLIDAE

†Apheoorthis? sp. indet. figd. Shaw 163 p. 142.

EOORTHIDAE

†Eoorthis shakuotunensis fig. pl. 1 Shikama 164.

FINKELNBURGIIDAE

†Orusia lenticularis figd. p. 183 Cambrian Norway, HOLTEDAHL 78.

PLECTORTHIDAE

†Platystrophia trentonensis figd. p. 120, fig. 66, KAY 87; P. sp. figd.

p. 195 Ordovician Norway Holte-DAHL 78.

ORTHIDAE

†Archaeorthis christianiae figd. p. 189, Ordovician Norway, HOLTEDAHL 78.

†Orthis cf. billingsi p. 267 cf. bussacensis p. 283, budleighensis figd. p. 298, gr. of calligramma p. 299 figd., cf. elegantula p. 302, Graout 53; O. sp. figured, Shaw 163 p. 142. O. nipponica figd. pl. 3, SHIKAMA 164.

Orthoid brachiopod figd. p. 19, HENNINGSMOEN 71.

DALMANELLACEA

ONNIELLIDAE

†Levenea canaliculata p. 27, Kegel 88.

†Onniella bancrofti sp. nov. p. 132 fig. Ordovician Scania LINDSTRÖM Geol. Fören Stockholm Förhand. 75 2 473 1953.

†Proschizophoria personata p. 316 figd., Gigout 53.

DALMANELLIDAE

†Dalmanella sp. (n. sp. ?) p. 147, ROSLER 153; D. opercularis p. 316, GIGOUT 53; D. rogata figd. p. 120 fig. 66, KAY 87; D. cf. prisca p. 475, DARMER & QUIRING 29; D. multisecta figd. p. 29 elegantula figd. p. 90, DALE 30.

†Orthis (Dalmanella) sp. p. 176, Paproth 136.

†Orthis (Fascicostella) gervillei p. 316, GIGOUT 53.

†Parmorthis elegantula p. 28 basalis p. 29, Kegel 88.

BRIPIDOMELLIDAE

†Dalmanella (Platyorthis) circularis p. 315 figd., Gigout **53.**

†Orthis (Pionodema) aff. subaequata figd. p. 227, HOLTEDAHL 78.

†Rhipidomella missouriensis figd. p. 220, mesialis sp. nov. figd. p. 222 Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; R. penniana p. 90 figd., cora p. 91 figd., Chronic 21. Orthis (R.) michelini p. 177, Paproth 136; O. (R.) michelini p. 342, Gigout 53.

SCHIZOPHORIIDAE

†Enteletes gibbosus p. 92 figd., Chronic 21; E. acuteplicatus figd. pl. 8, Shikama 164.

†Isorthis sp. Kirk & Amsden 90 p. 55.

†Orthotich[i]a japonica figured pl. 5, HAYASAKA & HAYASAKA **68;** O. japonica figd. pl. 8, SHIKAMA **164.**

†Schizophoria cf. antiqua p. 146 figd., Rösler 153; S. resupinata p. 15 figd., Zak 199; S. striatula p. 475, Dahmer & Quiring 29; S. provulvaria p. 316 figd., Gigout 53; Orthis (S.) resupinata fig. p. 176, Paproth 136.

SYNTROPHIOIDEA SYNTROPHIACEA

CLARKELLIDAE

†Syntrophina carinifera figd., Shaw 163 p. 142.

LYCOPHORIDAE

†Lycophoria nucella figd. p. 193 Ordovician Norway, Holtedahl 78.

HUENELLIDAE

†Glyptotrophia spinosa sp. nov. Cambrian Vermont, Shaw J. Paleont, 77 1 1953 p. 143, figd. on plate xviii, and serial sections.

Huenellidae fam. revised with Huenellinae subfam. nov. Palaeostrophiinae, Mesonomiinae, Shaw 163 p. 143.

PENTAMEROIDAE PENTAMERACEA

PENTAMERIDAE

†Aliconchidium yassi internal structure of pedicle valve figd. p. 139, Amsden 3.

†Antirhynchonella Oehlert 1887, non Quenstedt 1871 (syn. Barrandella Hall & Clarke 1893) type species Atrypa linguifera Sowerby 1839, p. 141, AMSDEN 3.

†Clorinda undata internal structure pedicle valve p. 139, Amsden 3. †Conchidium alaskense sp. nov. p. 55 figd., Upper Silurian Alaska, KIRK & AMSDEN Geol. Surv. Wash. Prof. Pap. 233 c 1952.

†Gypidula lata Alexander 1936 not figured, and bravonium Alexander 1948 figured, synonyms. Ruling of Int. Comm. Zool. Nomen. awaited whether Int. Geol. Congress (Bologna 1881) ruling that new species invalid unless description accompanied by illustration is to be binding, ALEX-ANDER 2 p. xxxvi; G. typicalis nom. nov. for Pentamerus occidentalis Hall 1858, non Hall 1852, p. 140, coeymanensis prognostica longitudinal and transverse sections, fig. 1, brevirostris longitudinal section fig. 2, AMSDEN 3; G. ? sp. p. 57, KIRK & AMSDEN 90.

†Holorhynchus giganteus figd. p. 203 Silurian Norway, Holtedahl 78.

†Pentameracea with family Pentameridae and subfamilies Gypidulinae, Pentamerinae, Pentameroidinae subfam. nov. family Stricklandidae and Enantiosphenidae, Amsden 3 p. 147 and figs. 1-3.

†Pentamerella areyi figd. p. 143, ? P. sublinguifer fig. 2 p. 139, Amsden 3.

†Pentameroides subrectus longitudinal and transverse sections fig. 1 p. 138, AMSDEN 3.

†Pentameroidinae subfam. nov. p. 144 with genus Pentameroides, figd. and provisionally Pentamerifera, and Conchidiella, AMSDEN J. Wash. Acad. Sci. 43 5 1953.

†Pentamerus cf. P. oblongus longitudinal and transverse sections p. 138, borealis internal structure, ? cf.P. gotlandicus fig. 3 p. 139, AMSDEN 3; P. laevis (=oblongus) figd. p. 29 pl. 11, FISHER 42; P. multiplicatus, cf. biplicatus p. 334 figd., Gigout 53; P. borealis, laevis figd. p. 203 Silurian Norway, HOLTEDAHL 78.

†Platymerella manniensis Foerste 1909, non 1920, figd. p. 142, Amsden 3.

†Sieberella roemeri transverse and longitudinal sections p. 139, Ams-DEN 3; S. n. sp. aff. heberti p. 150 figd., RÖSLER 153.

Vol. 90

† Virgiana barrandsi internal structure pedicle valve p. 139, Amsden 3.

STRICKLANDIDAE

†Costistricklandia gen. nov. p. 143 type species gaspéensis figd. p. 143, Amsden 3.

†Stricklandia lens figd. p. 203 Silurian Norway, Holtedahl 78.

STROPHOMENOIDAE PLECTAMBON(IT; ACEA

PLECTAMBONITIDAE

†Ingria interior of brachial and pedicle valves figured p. 7, WILLIAMS 194.

†Kozlowskites gen. nov. type species Strophomena nuncia Barrande 1879 p. 406, 418, 425, nuncius p. 407, Ordovician Czechoslovakia, Havlí-ČEK Sborn, serv. géol. Tchécoslovaq. 19 1952.

†Leangella ino sp. nov. L^r. Silurian Victoria, ÖPIK Mem. geol. Surv. Victoria Australia 19 1953 p. 13 figd.

†Plectambonacea superfam. nov. with families Taffidae, Plectambonitidae, Leptestiidae fam. nov. p. 6, WILLIAMS J. Wash. Acad. Sci. 48 1 1953.

†Plectambonites transversalis figd. p. 90, Dale 30.

†Plectambonitidae diagnosed, with subfam. Plectambonitinae, Ahtiellinae, Williams 194 p. 6.

LEPTESTIIDAE

†Aegiria defined p. 399, 417, 424, aquila aquila figd. p. 399, a. preceursor subsp. nov. p. 401, figd., descendens sp. nov. p. 402 figd., quaesita p. 403, Ordovician Czechoslovakia, HAVLIČEK Sborn. serv. géol. Tchécoslovaq. 19 1952; A. ? sp. p. 139 recorded Ordovician Scania, LINDSTRÖM 103.

†Benignites gen. nov. type species Strophomena primula Barrande 1879 p. 409, 410, 419, 426 Ordovician Czechoslovakia, Havliček Sborn. serv. géol. Tchécoslovaq. 19 1952.

†Benignites (Leptestiina) prantli sp. nov. p. 412, 427 Ordovician Czechoslovakia, Havlíček Sborn. serv. géol. Tchécoslovaq. 19 1952. †Chonetoidea p. 404, 418, 425, tenerrima sp. nov. p. 404 figd., radiatula p. 405 figd., Ordovician Czechoslovakia, HAVLIČEK Sborn. serv. gćol. Tchécoslovaq. 19 1952

†Leptellina interior of brachial and pedicle valves figured p. 7, Williams 194.

†Leptestiidae fam. nov. p. 6 with subfam. Leptestiinae, Sowerbyellinae p. 8, Williams J. Wash, Acad. Sci. 43 1 1953

†Sericoidea gen. nov. type species Leptaena sericea var. restricta Hadding 1913 p. 134, restricta p. 135, figd. Ur. Ordovician Scania. LINDSTRÖM Geol. Fören Stockholm Fördhand. 75 2 473 1953.

†Sowerbyella transversalis figd. p. 28 pl. 10, Fisher 42; S. interior ef. brachial and pedicle valves figured p. 7, Williams 194; S. austrum sp. nov. p. 14 figd., Lr. Silurian Victoria, Öpik Mem. Geol. Surv. Victoria Australia 19 1953; S. gen. discussed, tristis p. 408, 419, 426, Havlíček 65; S. sp. figd., p. 195, Ordovician Norway, transversalis figd., p. 203, Silurian Norway, Holtedahl 78; S. cf. sericea recorded Ordovician Scania, Lindström 103 p. 134; S. punctostriata figd. p. 120 fig. 66, Kay 87; S. duvalii p. 30, Kegel 88.

Sowerbyellinae defined to include new genus *Kozlowskites* p. 399, 417, 424, HAVILÍČEK **65.**

STROPHOMENACEA

STROPHOMENIDAE

†Foliomena gen. nov. type species Strophomena folium Barrande 1879 p. 413, 420, 427 figd. Ordovician Czechoslovakia, HAVLÍČEK Sborn. serv. géol. Tchécoslovaq. 19 1952.

†Leptaena rhomboidalis figd. p. 203 Silurian Norway, Holtedahl 78; L. rhomboidalis, p. 317, 333, 342, bouei p. 317, Gigout 53; L. rhomboidalis figd. p. 90, Dale 30; L. convexa figd. pl. 53, Shikama 164.

†Rafinesquina deltoidea figd. p. 195 Ordovician Norway, Holtedahl 78; R. deltoidea, praecursor figd. p. 120 fig. 66, Kay 87; R. mucronata, alternata mut. centrostriata figd. p. 29 obscura figd. p. 90, DALE 30.

†Srophomena euglypha, hirundo p. 302, figd. cf. hipponyx p. 318, 334, cf. triculta p. 318, Gigout 53.

†Strophomenacea diagnosed, with families Strophomenidae, Stropheodontidae p. 8, Christianiidae fam. nov. p. 9, WILLIAMS J. Wash. Acad. Sci. 43 1 1953.

†Strophomenidae diagnosed, with subfamilies Strophomeninae subfam. nov. Leptaenoidiinae subfam. nov. WILLIAMS J. Wash. Acad. Sci. 43 1 1953

†Strophomenoidea emended, with superfamilies Plectambonacea superfam. nov. p. 6, Strophomenacea p. 8, Orthotetacea superfam. nov. Williams J. Wash. Acad. Sci. 43 1 1953.

†Strophonella patenta figd. p. 90, Dale 30; S. Hall 1879 emend. p. 47, S. (Strophonella) emend. p. 48, semifasciata, sp., cf. S. cavumbona figd. pl. xiii, Williams 195.

†Strophonella (Eostrophonella) described p. 48, eothen figd. pl. xiii, Williams 195.

STROPHEODONTIDAE

†Amphistrophia Hall and Clarke 1892 emend. p. 45, striata, aff. funiculata figd. pl. xii, WILLIAMS 195.

†Cymostrophia cf. C. costulata p. 55 figd., Kirk & Amsden 90; C. described p. 39 stephani, patersoni figd. pl. ix, Williams 195.

†Douvillina Oehlert 1887 emend. p. 43; D. (Douvillina) emend. p. 44, arcuata pl. iv, vi, aff. inaequistriata, sp. figd., pl. ii, xi, Williams 195; D. ferquensis p. 475, Dahmer & Quiring 29.

†Douvillina (Mesodouvillina) described p. 44, internal structure newsomensis pl. iii, xi, xii, subinterstrialis, seretensis pl. xii, WILLIAMS 195.

†Douvillinaria described p. 45, variabilis figd. pl. xii, shell structure pl. ii, WILLIAMS 195.

†Douvillinella Spriestersbach 1926 emend. p. 45, sp. figd. pl. xi, WILLIAMS 195.

† Gampholosia p. 42, WILLIAMS 195.

†Glossostrophia described p. 43, caudata pl. xi, WILLIAMS 195.

†Hercostrophia described p. 47, pl. vi, xii, robusta, sp. figd. pl. xiii, alpensis, Williams 195.

†Idioglyptus p. 40, WILLIAMS 195.

†Leptostrophia taunica p. 148 figd., Rösler 153; L. Hall 1892 emended and described p. 40, sp. cf. filosa figd. pl. ix, shell structure sp. pl. i, internal structure pl. iv, WILLIAMS

†Lissostrophia described p. 37, WILLIAMS 195.

†Lissostrophia (Lissostrophia) emend. p. 37, cooperi figd. pl. viii, Williams 195.

described p. 38, pellucida, pl. v, viii, minuta figd. pl. viii, Williams 195.

†Megastrophia described p. 38, concava internal structure pl. iii, iv, WILLIAMS 195.

†Megastrophia (Megastrophia) emend. and described and fig. p. 38, sp. figd. pl. viii, internal structure concava pl. iii, iv, WILLIAMS 195.

†Megastrophia (Protomegastrophia) emend, and described p. 39, profunda figd. pl. ix, WILLIAMS 195.

†Nervostrophia Caster 1939 emended p. 41, tulliensis sp., rockfordensis, calvini pl. x, shell structure pl. i, internal structure pl. iv, Williams 195.

†Pholidostrophia emend. and described p. 36, shell structure pl. i, ii, delthyrial structure pl. v, WILLIAMS 195.

†Pholidostrophia (Mesopholidostrophia) described p. 37, nitens figd. pl. viii, WILLIAMS 195.

†Pholidostrophia (Pholidostrophia) emend, p. 36 sp. figd. pl. viii, WIL-

†Protoleptostrophia Caster 1939 emend. and described p. 41, blainvilli figd. pl. ix, sp. pl. x, shell structure pl. i, internal structure pl. ii, iii, vi, Williams 195.

†Shaleria Caster 1939 emend. p. 46, gilpeni figd. pl. xii, WILLIAMS 195.

Vol. 90

† Shaleria (Shaleria) Caster 1939 emend. p. 46, WILLIAMS 195.

†Shaleria (Telaeoshaleria) described p. 47, sulcata figd. pl. xii, WILLIAMS 195.

†Stropheodonta ef. murchisoni, sp. (murchisoni-Gruppe), sp. aff. taeniolata p. 147 all figd., aff. S. furcillistria p. 148 figd., Rösler 153; S. varistriata figd. p. 133, Dale 30; S. Hall 1852 emend. p. 34, sp. figd. internal structure pls. i, iii, v, vi, vii,

†Stropheodonta (Stropheodonta) emend. p. 35, galatea sp. figd. pl. vii,

†Stropheodonta (Brachyprion) cf. studenitzae p. 29, KEGEL 88; S. (B.) emend. described p. 35, delthyrial structure pl. v, sp. figd. pl. vii, WILLIAMS 195.

†Stropheodonta (Eostropheodonta) described p. 35, siluriana figd. pl. vii, WILLIAMS 195.

 $\dagger Stropheodonta$ (Leptostrophia) explanata p. 318 figd., GIGOUT 53.

†Stropheodontidae diagnosed p. 8, with subfam. Stropheodontinae, Liljevallinae subfam. nov. p. 9, Williams J. Wash, Acad, Sci. 43 I 1953,

†Strophomena (Stropheodonta) aff. diffusa p. 318, GIGOUT 53.

†Strophonelloides emend. p. 36, sp. fig. pl. vii, viii, internal structure pl. i, ii, WILLIAMS 195; S. interior of brachial and pedicle valves figured p. 7, WILLIAMS 194.

CHRISTIANIIDAE

†Christiania tenuicincta figd. p. 195 Ordovician Norway, HOLTEDAHL 78; C. interior of brachial and pedicle valves figured p. 7, Williams 194.

†Christianiidae fam. nov. p. 9, Williams J. Wash, Acad. Sci. 43 1

†Mimulus cf. contrarius p. 35, KEGEL 88.

ORTHOTETACEA

ORTHOTETIDAE

†Derbyia cf. D. tapajotensis p. 74 figd., buchi p. 75 figd., Chronic 21; D. arellanoi sp. nov. p. 22, elongata sp.

nov. p. 23, Middle Permian Mexico, Cooper Smithson, Misc. Coll. Washington 119 2 1953; D. sp. figd. pl. 21, Newell & others 130; D. sulcata sp. nov. p. 687 fig., Permian Texas, Walter J. Paleont. 27 5.

†Hamletella gen. nov. type species Streptorhynchus altus Hamlet 1928. Permian Timor p. 92, kitakamiensis sp. nov. p. 93 figd., Middle Permian Kitakami Mts., Japan, Hamlet Trans. Proc. Palaeont. Soc. Japan ns. 12 1953.

†Kiangsiella pinguis p. 76 figd., Chronic 21.

†Meekella uncitoides figd. pl. 12, Shikama 164; M. gigantea figd. pl. 8, Shikama 164; M. skenoides figd. pl. 21, Newell & others 130; M. internal structure of brachial and pedicle valves figured p. 11, Williams 194.

†Orthotetes? sp. p. 73 figd., Chronic 21; O. of. crenistria p. 342, Gigout 53.

†Orthotetes (Schuchertella) umbraculum p. 317 figd., GIGOUT **53.**

†Orthotetidae diagnosed, with subfamilies Orthotetinae, Schuchertellinae subfam. nov., Davidsoniinae p. 9, WILLIAMS J. Wash. Acad. Sci. 43 1 1953.

†Orthotetina (Schellwienella) sp. p. 475, Dahmer & Quiring 29.

†Plicatoderbia sp. figd. pl. 21, NEWELL & others 130.

†Schellwienella genus discussed, alata sp. nov., p. 224 inflata p. 226 figd. Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; S. crenistria p. 177, Paproth 136.

†Schuchertella subplana figd. p. 90, interstriata figd. p. 133, DALE 30; S. genus discussed p. 226, perplana sp. nov. figd. p. 227, sciotoensis sp. nov. p. 228 figd., subcancellata sp. nov. p. 228 figd., Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; S. portlockiana radialis, weafordensis p. 177, Paproth 136; S. portlockiana p. 16 figd., Zak 199.

†Streptorhynchus cyrano p. 73 figd., sp. p. 74 figd., Chronic 21; S. sp. p. 24 figd., Cooper 25; S. sp. figd. pl. 21, Newell & others 130.

SCACCHINELLIDAE

†Scacchinella interior of brachial and pedicle valves figured p. 11, WILLIAMS 194.

†Scacchinellidae fam. nov. with Scacchinella Gemmellaro, Williams J. Wash. Acad. Sci. 48 1 1953 p. 12.

THECIDIIDAE

†Bactrynium bicarinatum figd. pl. 18, Elliott 39.

†Bifolium lacazelliforme sp. nov. Cenomanian Cambridge, ELLIOTT Ann. Mag. Nat. Hist. (12) 6 1953: 694, figd.

† Eolacazella gen. nov. type species Thecidea affinis Bosquet, T. suessi, T. longirostris p. 694, Upper Cretaceous Europe, ELLIOTT Ann. Mag. Nat. Hist. (12) 6 1953.

Lacazella mediterranea figd. pl. 18, Elliott 39.

†Moorellina gen. nov. type species Thecidea duplicata Moore p. 693, prima sp. nov. figd., T. buvignieri, p. 694 T. septata, T. triangularis, T. ornata, Rhaetic to Upper Jurassic Europe, Elliott Ann. Mag. Nat. Hist. (12) 6 1953.

†Thecidea papillata figd. pl. 18, ELLIOTT 39.

†Vermiculothecidea gen. nov. type species Terebratulites vermicularis Schlotheim Upper Cretaceous Europe ELLIOTT Ann. Mag. Nat. Hist. (12) 6 1953: 694.

THECOSPIRIDAE

†Thecospira with pseudopunctate shell transferred from Spiriferoidea to Strophomenoidea, with family Thecospiridae Bittner 1893, interior of brachial and pedicle valves figd. p 11, WILLIAMS 194.

†Thecospiridae diagnosed, with Thecospira Zugmayer, Williams J. Wash, Acad. Sci. 43 1 1953 p. 12.

OLDHAMINOIDEA

OLDHAMINIDAE

†Gemmellaroia interior of brachial and pedicle valves figd. p. 11, WILLIAMS 194.

†Gemmellaroiidae fam. nov. p. 10 with Gemmellaroia Cossman, WIL-LIAMS J. Wash. Acad. Sci. 43 1 1953.

†Leptodus richthofeni (Lyttonia richthofeni) figd. pl. 12, Shikama 164. L. americanus figd. pl. 21. Newell & others 130.

†Oldhaminoidea subord. nov. with families Oldhaminidea and Poikilosakidae fam. nov., WILLIAMS J. Wash. Acad. Sci. 43 9 1953: 286.

POIKILOSAKIDAE

†Poikilosakidae fam. nov. of Oldhaminoidea subord. nov., WILLIAMS J. Wash. Acad. Sci. 43 9 1953: 287.

PRODUCTOIDEA PRODUCTACEA

PRODUCTIDAL

†Anidanthus alatus sp. nov. p. 30 figd., Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953.

†Aulosteges guadalupensis figd. pl. 21, Newell & others 180; A. subgen. Strophalosia p. 143, figd. p. 145, S. (A.) horrescens p. 147 figd., longa p. 150 figd., fragilis var. lata p. 152 figd. p. 153, var. longitudinalis p. 156 figd., Sokolskaya 174.

†Avonia p. 80 (?) boulei p. 81 figd., Chronio 21; A. concentrica figd. p. 233, rushvillensis p. 234, millespinosa p. 235, rushvillensis mut. a p. 236, Hyde 80; A. p. 106, figd. p. 107, praeyoungiana sp. nov. p. 109 youngiana p. 111 figd., costata sp. nov. p. 115 figd., costata sp. nov. p. 117 figd., echidniformis p. 119 figd. Carboniferous Europe, Sokolskaja Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948.

†Buxtonia peruviana p. 83 figd., Chronic 21.; B. scabricula p. 249 figd., Hyde 80.

†Cancrinella phosphatica p. 29 figd., Cooper 25; C. villiersi (?) p. 89 figd., Chronic 21; C. discussed, magniplica sp. nov. p. 7, figd. Permian Queensland, CAMPBELL Paprs. Dept. Geol. Univ. Queensland 4 3 1953

†Dictyoclostus depressus sp. nov. p. 32 figd. Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953; D. agmensis sp. nov. p. 236 figd., bovis sp. nov. p. 239 figd., nodocostatus p. 243, varicostatus figd. p. 244, sciotoensis sp. nov. p. 247, aff. sedaliensis, aff. fernglenensis p. 249, Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; D. boliviensis p. 82 figd., sp. 1, sp. 2, p. 83 figd., Chronic 21; D. cf. arcticus figd. pl. 21, Newell & others 130.

†Echinoconchus pelliceus p. 85 figd., Chronic 21.

†Heteralosia mexicana sp. nov. p. 28 figd. Middle Permian Mexico, Cooper Smithson. Misc. Coll. Washington 119 2 1953.

†Juresania hispida p. 84 figd., Chronic 21.

†Kansuella transdanubica sp. nov. p. 18 figd. Lower Carboniferous Visean, Hungary, Földvári Acta geol. hung. 1 1-4 1952.

†Krotovia Fredericks emended Paeckelmann p. 122, figd. p. 123, spinulosa p. 124, karpinskiana p. 126 figd., SOKOLSKAJA 174.

†Leptalosia p. 75, figd. p. 76, eletskiana sp. nov. p. 77 figd., prodica sp. nov. p. 79 figd., zadonica sp. nov. p. 80 figd., SOKOLSKAJA Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948.

†Linoproductus cora p. 88 figd., Chronic 21; L. (?) guadalupensis figured pl. 21, Newell & others 130.

†Liosotella gen. nov. type species L. rugosa sp. nov. p. 36, angustata sp. nov., rugosa sp. nov. p. 37 figd., subrugosa sp. nov. p. 39 figd., magnirugosa sp. nov., p. 40 all figured, Middle Permian Mexico, Cooper Smithson Misc. Coll. 119 2 1953.

†Marginifera sp. figd. pl. 21, NEWELL & others 130; M. sp. figd. pl. 21, NEWELL & others 130; M. sp. 1, p. 34, sp. 2 p. 35 figd., COOPER 25; M. capaci p. 86 figd., CHRONIC 21; M. sp. p. 701 figd., WALTER 190.

†Muirwoodia sp. p. 41 figd., Cooper 25.

†Overtonia? sp. p. 85 figd., CHRONIC 21.

†Planoproductus gigantoides figd. pl. 53, Shikama 164.

†Plicatifera p. 81 figd. p. 82, 84, ex. gr. praelonga p. 85, fallax p. 87 figd., var. elongata var. nov. p. 90 figd., var. inflata var. nov. p. 92 figd., ivanovi sp. nov. p. 93 figd., kalmiusi p. 96 figd., thernyahini sp. nov. p. 108 figd., zyabrovensis sp. nov. p. 100 figd., mesoloba p. 102 figd., Upper Devonian and Lower Carboniferous Russia, Sokolskaja Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948.

†Productus giganteus var. edelburgensis figd. pl. 8, Shikama 164. P. ef. taiyuanfuensis figured Jehol, Manchuria, Nonaka 131 p. 33; P. occidentalis figd. pl. 21, Newell & others 130; P. semireticulatus p. 342 figd., concinnus, costatus figd. p. 343, longispinus figd., tessellatus figd. p. 344, giganteus p. 345 figd., Groout 53; P. ? sp. figd. p. 691, Walter 190.

†Productus (Avonia) sp. p. 180, PAPROTH 136.

†Productus (Buxtonia) scabriculus p. 338 figd., Gigout **53**; P. (B.) scabriculus p. 180, Paproth **136**.

†Productus (Dictyoclostus) cf. diensti, muir-woodi, puglite, tristie sp. nov. p. 182, Lower Carboniferous Germany Paproth. Paläont. Z. 27 3-4 1954.

†Productus (Echinoconchus) elegans p. 180, PAPROTH 136; P. (E.) aff. crameri p. 21, figd., ZAK 199; P. (E.) crameri p. 19 figd., ZAK 199.

†Productus (Eomarginifera) lobatus flexus, simplex, cf. sudeticus, tissingtonensis, sp. figd. p. 183, Paproth 136.

†Productus (Gigantella) giganteus, figd., latissimus, l. complicatus, cf. sarytscheffi p. 181, PAPROTH 136.

†Productus (Krotovia) spinulosus p. 180, Paproth 136; P. (K.) nummularis Winchell described from Upper Devonian Upper Famennian, Nakakura formation of Japan p. 123 figd., Tachibana 182.

†Productus (Linoproductus) cf. concinniformis, continentalis p. 181, Paproth 136; P. (L.) continentalis p. 21 figd. striatus var. spinifera p. 22 figd., Zak 199.

†Productus (Productus) redesdalensis var, silesiaca p. 20, Zak 199.

†Productus (Pustula) sp. p. 180, PAPROTH 136.

†Productus (Sinuatella) gaablauensis p. 18 figd., ZAK 199.

†Strophalosia p. 142 figd. p. 145, Sokolskaja 174; S. beecheri figd. p. 231, Hyde 80.

†Thomasina p. 128, margaritacea p. 129, figd., Sokolskaja 174.

†Waagenoconcha Chao 1927 emend Ivanov 1935 p. 137, figd. p. 138, krapivnensis sp. nov. p. 138 figd. p. 140, sp. p. 141 figd. Upper Palaeozoic, Sokolskaja Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948; W. montpelierensis p. 42 figd., COOPER 25; W. humboldti p. 86 figd., CHRONIC 21.

PRODUCTELLIDAE

†Agramatia gen. nov. type species Productus agramati Nalivkin 1934, p. 39, 40, fig. p. 41, 42, Upper Devonian Russia, Sokolskaja Trans. Paleont. Inst. Acad. Sci. URSS. Moscow 14 3 1948.

†Chonetipustula p. 29, fig. p. 30, petini p. 32 figd., membranacea p. 35 figd., Sokolskaja 174.

†Chonopectus p. 68, figd. p. 69, elcicus p. 70 figd., rossicus p. 73 figd., Sokolskaja 174.

†Praewaagenoconcha gen. nov. type species Productus orelianus Moeller 1870 p. 132, 133 figd., Upper Devonian Russia, SOKOLSKAJA Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948.

†Productella p. 43 figd. p. 46, calva p. 50 figd., var. kosharica var. nov. p. 53 figd. var. multispinosa var. nov. p. 54 figd., subaculeata p. 59 figd. p. 61, 62, herminae figd. p. 66, Upper Devonian Russia, Sokolskaja Trans. Paleont. Inst. Acad. Sci. URSS. 14 3 1948; P. caperta figd. p. 337, Gigout 53.

CHONETACEA CHONETIDAE

†Chonetes of. C. hessensis p. 77 figd., sp. Chronic 21; C. sp. interior of brachial valve figd., Sokolskaja 174 p. 34; C. foshagi sp. nov. p. 25, gibberulus sp. nov. p. 26, monosensis

sp. nov. p. 27 all figured Middle Permian Mexico, Cooper Smithson. Misc. Coll. Washington 119 2 1953; C. coxnutus = [cornutus] figd. p. 90, Dale 30; C. tenuicosta, figd. aff. tenuicosta p. 319, Gigour 53; C. sp. figd. p. 207 Silurian Norway, Holtedahl 78; C. glenparkensis p. 231 figd., Hyde 80; C. soror p. 27, Kegel 88; C. permianus figd. pl. 21, Newell & others 130; C. infantilis sp. nov. p. 15 figd. Lf. Silurian Victoria, Öpik Mem. geol, Surv. Victoria Australia 19 1953; C. sp. figd. pl. 12, Shikama 164; C. laguessiana p. 17 sp. p. 18 figd. Zak 199.

†Chonetes (Chonetes) kayseri figd., laguessianus figd., var. angusta p. 178, longispinus, mosensis, cf. siblyi, zelteri figd. p. 179, PAPROTH 136.

†Chonetes (Daviesiella) papilio p. 180, Paproth 136.

†Chonetes (Plicochonetes) crassistrius minima, waldschmidti p. 180, Paproth 136.

†Chonetes (Tornquistia) politus p. 177, schmiereri p. 178, PAPROTH 136.

†Daviesiella comoides figd., p. 346 GIGOUT **53**; D. destinezi internal structure, SIMPSON **168** p. 193 fig.

†Eodevonaria dilatata p. 320 figd., Gigour 53.

†Lissochonetes discussed, semicircularis sp. nov. p. 6 figd., Permian Queensland, CAMPBELL Paprs. Dept. Geol. Univ. Queensland 4 3 1953; L. amazonicus (†) p. 78 figd., assula p. 79, figd., CHRONIC 21; L. subliratus figd. pl. 21, NEWELL & others 130.

RICHTHOFENIDAE

†Prorichthofenia sp., permiana, figd. pl. 21, in section pl. 27, NEWELL & others 130.

TELOTREMATA RHYNCHONELLACEA

STENOCISMATIDAE

†Camarophoria meyeri var. tetraplicata figd. pl. 7, Shikama 164.

†Stenoscisma sp. p. 55 figd., Cooper 25; S. venusta figd. pl. 21, Newell & others 130.

CAMAROTOECHIIDAE

†Camarotoechia nucula figd. p. 207 Silurian Norway, Holledahl 78; C. magna sp. nov. p. 251 Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; C. reesidei sp. nov. p. 57 figd. & transverse sections, sp. p. 58 figd. Upper Silurian Alaska, Amsden Geol. Surv. Wash. Prof. Pap. 233 C 1952; C. (?) humilis figd. p. 29, acinus p. 89, neglecta figd. p. 90, Dale 30; C. cf. ferquensis p. 476, Dahmer & Quiring 29.

†Leiorhynchus sp., bisulcatum figd. pl. 21, Newell & others 130; L. aff. L. rockymontanum p. 53 figd., CHRONIC 21.

†Leiorhynchoidea cloudi sp. nov. p. 44, figd. Middle Permian Mexico, COOPER Smithson. Misc. Coll. 119 2 1953.

†Plekonella gen. nov., type species P. acuta sp. nov., p. 17, 18 figd., transverse sections p. 18, Permian Queensland, CAMPBELL Paprs. Dept. Geol. Univ. Queensland 4 3 1953.

†Pugnax? nitida figd. pl. 21, NEWELL & others 130; P. acuminata p. 184, Paproth 136; P. acuminatus figd. pl. 8, Shikama 164.

†Rhynchonella (Camarotoechia) cf. daleidensis p. 328, pleurodon p. 340, 349, GIGOUT 53.

†Rhynchonella (Pugnax) acuminata p. 335, 349, pugnus p. 340 figd., Greout 53.

†Rhynchonella (Uncinulus) tarda p. 304. orbignyanus, primipilaris figd. p. 335, Gigout **53.**

†Rhynchopora magnicosta amotapensis p. 93 figd., aff. R. illinoisensis p. 94 figd., Chronvic 21; R. taylori p. 47 figd. t. rotunda subsp. nov. p. 48, figd., bicostata sp. nov. p. 49 figd., Middle Permian Mexico, Coopers Smithson. Misc. Coll. 119 2 1953; R. altiplicata sp. nov. p. 281 figd., contracta, persimuata p. 282 figd., Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953; R. (?) deloi? figd. pl. 21, Newell & others 130; R. pustulosa figd. p. 14, Zak 199.

†Rhynchotreta cuneata figd. p. 207 Silurian Norway, Holtedahl 78.

†Stegerhynchus (?) bidens figd. p. 28 pl. 10, Fisher 42.

†Uncinunellina? pulchra sp. nov. Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953 p. 46.

†Wellerella osagensis, peruviana p. 53 figd., bidentata, parva p. 56 figd., minuta p. 57 figd., Chronic 21; W. hemiplicata sp. nov. p. 50, lemasi sp. nov. p. 51, rotunda sp. nov. p. 58, rotunda sp. nov. p. 58, figd., sp. 54 Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953; W. cf. osagensis figd. pl. 21, Newell & others 130; W. elegans p. 689 figd., Walter 190.

†Wilsonia wilsoni figd. p. 207 Silurian Norway, Holtedahl 78.

RHYNCHONELLIDAE

†Cryptorhynchia kawhiana figd. p. 84 Bathonian Callovian New Zealand, MARWICK 113.

†Halorella sp. figd. p. 100, Drot 36.

Hemithyris psit[t]acea subsp. woodwardi recorded from Recent Seas and Fossil, Pliocene, HAYASAKA & UO-ZUMI 69.

†Rhynchonella richardsoni, sublacunosa, subplicatella recorded Somaliland, Colivicchi 22 p. 108; R. sp. p. 98 figd., sp. pomeyroli sp. nov. p. 99 figd. Lower Lias New Caledonia, Drot Sciences de la Terre 1 1-2 1953; R. triloboides from White Jura silicified and derived in Lower Cretaceous Bavaria, FREYBERG 50 p. 155; R. aff. borealis figd. p. 304, aff. minerva p. 305 figd., aff. princeps p. 305, cf. ancillans p. 306, amalthea p. 327 figd., eucharis, princeps var. subwilsoni figd., aff. pugnus, cf. tetratoma p. 328, letiensis p. 340 figd., multiformis p. 359, GIGOUT 53; "R." supraoligocaenica sp. nov. p. 5 figd. Upper Oligocene N. Germany, Görges Paläont. Z. 26 1-2 1952; R. aff. oxynoti, amalthei figd. fig. 31, Jordana & Kindelán 85; R. contorta figd. pl. 5, Marković-STEFANOVIĆ 112; R. maorica figd., nuggetensis figd., zealandica figd., sp. p. 32, bartrumi sp. nov. p. 84 figd., Ur. Lias, Toarcian New Zealand MARWICK Paleont, Bull. Geol. Surv. N.Z. 21 1953; 'R.' cf. triplicosa p. 4 fig., cf. atla p. 5 fig. Callovian cf. decipiens p. 8 fig. from the Crotaceous, Infravalanginian E. Greenland, Muir-Wood 126; 'R.' correcta, schopeni described from Gibrelta, Muir-Wood 127 p. 164; R. cartieri p. 120 figd., c. var. lorioli p. 121 figd., c. var. lepideviceta, latifrons, p. 125 both figd., plicatissima var. rectemarginata p. 126 figd., polyptycha p. 127, torrii sp. nov. p. 128, t. var. albenzensis var. nov. p. 130 figd., uhi p. 132 figd., Ronchetti & Brena Riv. ital. pal. strat. Milano 59 3 1953; R. sambosanensis figd. pl. 15, haradoi pl. 19, Shikama 164; R. fastigata figd. pl. 3, Sikošek 167; R. fastigata figd. pl. 1 spathica pl. ii, Veselinović 185; R. pleurodon p. 13 figd., Zak 199.

†Rhynchonella (Bihendulirhynchia) afra recorded Somaliland, Colivicchi 22 p. 108.

†Rhynchonella (Burmirhynchia) somalica p. 108 recorded Somaliland, COLIVICCHI 22.

†Rhynchonella (Cymatorhynchia?) quadriplicata recorded Somaliland p. 108, Colivicohi 22.

†Rhynchonella (Somalirhynchia) africana, a. var. smelliei, a. var. mesoloba, a. var. jordanica, bihinensis, recorded Somaliland p. 108, Colivicent 22.

Tegulorhynchia nigricans development of larva, orientation of valves found to be the reverse of that described in Terebratella inconspicua in 1944 in which pedicle valve was thought to be dorsal. This is now emended to ventral. Percival 141 p. 436.

SPIRIFEROIDEA ATRYPACEA ATRYPIDAE

†Atrypa reticularis, nodostriata figd. p. 89, Dale 30; A. desquamata mut. japonica mut. nov. from Middle Devonian Japan, Sugiyama 180 p. 75 fig. 1 p. 74; A. n. sp. figd. p. 151, Rösler 153; A. cf. A. reticularis p. 63 figd., Kirk & Amsden 90; A. cf. insolita, reticularis cf. renitens, Kegel & 8 p. 34; A. reticularis figd. p. 203 Silurian Norway, Holtedahl 78; A. reticularis p. 320, 334, Gigout 53; A. reticularis p. 476, Dahmer & Quiring 29.

†Atrypella scheii (†) p. 58 fig. transverse sections, tenuis sp. nov. p. 59 fig. transverse sections p. 60, borealis sp. nov. p. 60 fig. transverse sections, Upper Silurian S.E. Alaska, Kirk & Amsden Geol. Surv. Prof. Pap. Washington 133 C 1952.

†Septatrypa megaera p. 30, sappho p. 31, s. var. a p. 32, var. b. (?) thisbe p. 33, Kegel 88.

†Zygospira concentrica figd. p. 29, DALE 30.

COELOSPIRIDAE

†Coelospira planoconvexa, uniplicata figd. p. 28 pl. 10, hemispherica p. 29 pl. 11, Fisher 42; C. hemispherica figd. p. 90, Dale 30.

SPIRIFERACEA

SPIRIFERIDAE

†Acrospirifer subgen. of Hysterolites discussed p. 12, arduennensis p. 29, a. arduennensis p. 30, a. latestriatus figd. form α , β , p. 45, a. antecedens figd. p. 56, arduennensis s.l. p. 67, 69, extensus sp. nov. figd. p. 70, maturus p. 79 figd., mosellanus sp. nov. p. 83 figd., m. mosellanus subsp. nov. p. 86 figd., m. gracilis subsp. nov. p. 91 figd., m. steiningeri subsp. nov. p. 95 figd., form α , p. 96, β , p. 100, m. dahmeri subsp. nov. p. 102 figd., mosellanus subsp. p. 107 figd., schreiberi p. 108 figd., aequicosta p. 112 figd., intermedius p. 113, i. intermedius p. 118 figd., i. vetustus subsp. nov. p. 121 figd., i. ovatus subsp. nov. p. 124 figd., i. entomus subsp, nov. p. 126 figd., i. dissectus subsp. nov. p. 128 figd., intermedius subsp. n. p. 131, bicostatus sp. nov. p. 131 figd., supraspeciosus p. 133, s. supraspeciosus p. 135 figd., s. polymorphus subsp. nov. p. 137 figd., s. divaricatus subsp. nov. p. 138 figd., s. fuchsianus p. 140 figd., intermedius, supraspeciosus p. 141, Devonian Germany, Solle Abh. hess. Landesamt. Bodenforsch. 5 1953.

†Alaskospira gen, nov. type A. dunbari Kirk & Amsden p. 61, figd. serial sections p. 62, Upper Silurian Alaska, Kirk & Amsden Geol. Surv. Wash. Prof. Pap. 233 C 1952. Allanella gen. nov. type species Spirifer allani Warren p. 5, 6. minutilla sp. nov. p. 7. Middle Devonian Canada, CRICKMAY 26.

†Brachythyrina nagaoi figd. pl. 53, Shikama 164.

†Brachythyris kitakamiensis figd. pl. 53, Shikama 164; B. suborbicularis p. 252, Hyde 80.

†Cancellospirifer gen. nov. type C. maxwelli sp. nov. p. 11, 12 figd. sections p. 12 Permian Queensland, CAMPBELL Paprs. Dept. Geol. Univ. Queensland 4 3 1953.

†Condrathyris gen, nov. type species Squamularia? perplex[a] (McChesney) of Dunbar & Condra 1932, pl. 42, figs. 5-8, Pennsylvania, MINATO Trans. Proc. Palaeont. Soc. Japan N.S. 11 1953 p. 69 text-fig. 3.

†Crurithyris planoconvexa p. 65 figd., Chronic 21; C. planoconvexa figd. pl. xlix, p. 390, Tasch 183.

†Cyrtia exporrecta figd. p. 207 Silurian Norway, Holtedahl 78.

†Cyrtospirifer verneuili vicarii, sp. aus der verneuili-Gruppe, p. 477, DAHMER & QUIRING 29.

†Delthyris cf. similis p. 253, Hyde 80; D. ? sp. p. 63 fig., Kirk & Amsden 90.

†Eleutherokomma impennis sp. nov. jasperensis p. 3, figd., killeri p. 4, hamittoni, leducensis p. 5 figd., Middle Devonian Canada, CRICKMAY 26.

†Elivina (?) sulcifer figd. pl. 21, Newell & others 130.

†Emanuella p. 312, sanctacrucensis sp. nov. p. 313 figd. p. 314, 316, 317, parva sp. nov. p. 317 figd. p. 318, 319 Middle Devonian (L^r. Givetian) Poland, Biernat Acta geol. Polon. 3 1953.

† Eospirifer sp. p. 63 fig., Kirk & Amsden 90.

†Georgethyris gen. nov. type species Reticularia alexandri George 1932, Lower Carboniferous England, MINATO Trans. Proc. Palaeont. Soc. Japan N.S. 11 1953 p. 65, 68 and text-fig. 3.

†Grantonia gen. nov. p. 60 type species G. hobartensis sp. nov. p. 61, figd. Permian Tasmania, Brown J. Roy. Soc. N.S.W. 86 2 1953.

†Howellella sp. p. 63 fig., Kirk & Amsden 90.

†Hysterolites discussed p. 9, Solle 175.

†Hysterolites (Acrospirifer) bouchardi p. 476, Dahmer & Quiring 29.

†Kitakamithyris genus discussed type species, Torynifer (K.) tyoan-jiensis Minato, Minato 121 p. 71 text-fig. 3.

†Martinia glabra var. symmetrica p. 348 figd., Gigout 53; M. sp. figd. pl. 8, Shikama 164; M. shumardiana, rhomboidalis figd. pl. 21, Newell & others 130; M. cf. glabra p. 185, Paproth 136.

†Martiniopsis genus discussed and figd., p. 100, transverse sections of M. inflata Waagen type species p. 101, 104, variation tables p. 105, BROWN 19; "M" non Waagen 1884 of Etheridge 1892 p. 10, CAMPBELL 20.

†Martinothyris gen. nov. type species Phricodothyris lineata (Martin) of George 1932, p. 545, fig. 6. Lower Carboniferous, MINATO Trans. Proc. Palaeont. Soc. Japan N.S. 11 1953 p. 70 text-fig. 3.

†Mentzelia cf. ampla, kawhiana figd. p. 34, Marwick 113.

†Mentzeliopsis spinosa p. 87 figd., Drot 36; M. spinosa figd., horrida p. 35, Marwick 113.

†Nebenothyris gen. nov. type species Spirifer (Reticularia) lineatus Nebe 1911 non Martin, MINATO Trans. Proc. Palaeont. Soc. Japan N.S. 11 1953 p. 72 text-fig. 3.

†Neospirifer sp. 1 p. 60, 2, p. 61, figd., Cooper 25; N. cameratus p. 59 figd., condor p. 60 figd., Chronic 21; N. discussed, sp. p. 9 figd., Campbell 20; N. fasciper, condor figd. pl. v, Brown 18; N. pseudocameratus figd. pl. 21, Newell & others 130.

†Phricodothyris septata p. 62 figd., guadalupensis peruensis p. 63 figd., Chronic 21; P. genus discussed type species quoted as Phricodothyris lucerna George 1932, Minato 121 p. 68.

†Pseudomartinia martinezi sp. nov. p. 59, Middle Permian Mexico, Cooper Smithson, Misc. Coll. 119 2 1953.

†Pseudosyrinx sp. nov. p. 13 figd., CAMPBELL 20.

†Reticularia type species discussed p. 65 and quoted as Reticularia imbricata (Sowerby) p. 67, Minato 121.

†Sinothyris gen. nov. type species Reticularia maurerei Holzapfel. [err. pro maureri] Devonian, Minato Trans. Proc. Paleont. Soc. Japan N.S. 11 1953 p. 68, text-fig. 3.

†Spirelytha genus defined type species given as Spirifer schei Tschernyschew 1916, Minato 121 p. 71 text-fig. 3.

†Spirifer plicatellus, elevatus, figd. p. 207 Silurian Norway HOLTE-DAHL 78; S. inchoans figd., plicatellus var. radiatus p. 303 figd., cf. rousseaui, sp. aff. carinatus-rousseaui figd., nerei, cf. nerei figd. p. 323, nereides p. 324 figd., secans, togatus, cf. togatus p. 326, julii and var. p. 339 figd., striatus, bisulcatus p. 346, trigonalis figd., grandicostatus figd. p. 347, Gigout 53; S. centronatus p. 258, c. var. invalidistriata var. nov. striatiformis p. 260, Mississippian Ohio, HYDE Bull. Ohio Geol. Surv. 51 1953; S. sp. KEGEL 88; S. humerosus figd. pl. 8, SHIKAMA 164; S. aff. S. opimus p. 58 figd., CHRONIC 21; S. bisulcatus, b. calcaratus, b. oystermouthensis p. 184, cf. pinguis rotundata, striatus, cf. triangularis p. 185, PAPROTH 136; "S." radiatus figd. p. 90, vanuxemi figd. p. 133, DALE 30.

†Spirifer (Acrospirifer) pellicoi, aff. pellicoi figd. p. 324, fallax p. 325, Gigout 53.

†Spirifer (Choristites) jigulensis figd. pl. 7, Shikama 164.

†Spirifer (Cyrtospirifer) verneuili p. 339, GIGOUT 53.

†Spirifer (Eospirifer) inchoans p. 36, Kegel 88.

†Spirifer (Hysterolites) hystericus p. 320 figd., carinatus c. var. latissima p. 321 figd., rousseaui and vars. p. 322 figd., jaschei figd. p. 327, Groott 53. †Spirifer (Munella) nikitini figd. pl. 6, tschernyschewiformis pl. 7, Shikama 164.

†Spirifer (Trigonotreta) verneuili figd. pl. 6, Shikama 164.

†Spiriferella? scobinoidea sp. nov. p. 62, sp. 1, 2, p. 64 figd. Middle Permian Mexico, Cooper Smithsonian Misc. Coll. 119 2 1953; S. (?) mexicana figd. pl. 21, Newell & others 130.

†Squamularia genus defined p. 65, genolectotype Squamularia rotundata Gemmellaro 1899, text-fig. 3, MINATO 121; S. asiatica figd. pl. 6, SHIKAMA 164; S. cf. asiatica p. 189 figd., NONAKA 131.

†Straelenia minor figd. p. 329, GIGOUT 53.

†Syringothyris cuspidatus figd. pl. 8 SHIKAMA 164; S. genus discussed p. 263, bedfordensis sp. nov. p. 268 figd., carteri p. 270 figd., chemungensis p. 273 figd., cf. halli figd., herricki p. 275 figd., typus var. waverliensis var. nov. p. 278 figd., Mississippian Ohio, Hyde Bull. Ohio Geol Surv. 51 1953.

†Torymifer pseudolineata p. 280 figd., HYDE 80; T. genus discussed and type species given as Torymifer criticus Hall & Clarke, MINATO Trans. Proc. Palaeont. Soc. Japan N.S. 11 1953 p. 71 text-fig. 3.

†Torynifer (Kitakamithyris) tyoanjiensis figd. pl. 53, Shikama 164.

†Trigonotreta genus discussed p. 56, stokesii (type species), redescribed p. 58, Brown 18.

†Tylothyris subconica subconica p. 184, Paproth 136.

†Vandergrachtella gen. nov. type species V. arcuum sp. nov. p. 7 keenei sp. nov., arcuum sp. nov. p. 8 figd., radina sp. nov. p. 9, kobayashii sp. nov., scopulorum sp. nov. p. 10 Upper Devonian Alberta or N.W. Territories, Canada, CRICKMAY 26.

†Warrenella gen. nov. type species W. eelecta sp. nov. p. 596 Upper Devonian Cheviot formation Mt. Mackenzie W. of 5th meridian, Alberta Canada, apodecta sp. nov., franklinii Meek p. 598, Middle or Upper Devonian Canada, CRICKMAY J. Paleont. 77 4 1953.

SPIRIFERINIDAE

†Clavigera defined, bisulcata figd. p. 45, tumida, cuneiformis p. 46 both figured cuneiformis p. 86 figd., Marwick 113; C. bisulcata p. 247, droti sp. nov. (Avias) p. 248 Rhaetic New Caledonia, Avias & Drot C.R. Soc. géol. Fr. 12 1952; C. bisulcata p. 92 figd., drotae p. 93 figd. and transverse sections, Drot 36.

†Cyrtina rigauxi p. 477, Dahmer & Quiring 29.

†Psioidea (?) australis p. 95 figd., sp. nov. p. 96 figd., Drott 36; P. subgenus of Spiriferina p. 38, conjuncta figd. p. 39, nelsomensis, australis p. 40 figd., Marwick 113.

†Punctospirifer convexus sp. nov. p. 67 figd., Middle Permian Mexico, COOPER Smithson. Misc. Coll. 119 2 1953; P. billingsi, sp. figd. pl. 21, NEWELL & others 130; P. patulus p. 96 figd., adstrictus p. 98 figd., inflatus p. 99 figd., sp. p. 100, CHRONIC 21.

†Punctothyris gen. nov. type species, P. argus Hyde, p. 288, 289 figd. Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953.

Rastelligera subgenus Spiriferina elongata figd. p. 41, acutissima figd., gypaetus figd. p. 42, MARWICK 113; R. cf. elongata p. 95 figd., Drot 36.

†Reticularina sp. A, B, figd. pl. 21, Newell & others 130; R. p. 100 (?) cf. spinosa, atava p. 100 figd., fruticosa p. 102 figd., constricta p. 103 figd., Chronic 21.

†Spiriferellina laxa p. 68 figd., sonorensis sp. nov. p. 69 figd., Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953; S. p. 13 discussed p. 13, sp. nov. p. 14 figd., Campbell 20.

†Spiriferina alpina p. 131, var. falloti p. 132, rostrata p. 133, villosa, nicklesi, gryphoidea, brevirostris p. 135, undata, angulata, acuta, gibra, obtusa var. conclusa, tumida p. 136, t. var. rupestris, var. ascendens, p. 137, t. var. haueri, hartmanni, h. var. gigantea p. 138, verrucosa, walcotti p. 139, w. var. betacalcis, w. var. munsteri, sampelayoi p. 140, oxyptera deslongchampsi p. 141 di Stefanoi,

torbolensis p. 142 distribution in Lias of Spain, BATALIER 11; S. kaihikunan p. 88 figd. parki, sp. p. 89 figd., cf. orophila, gregaria p. 90 figd., cf. fragilis, cf. acutissima p. 91 figd., cf. gypačius p. 92 figd., DROT 36; S. kancharai figd. pl. 15, Shikama 164; S. octoplicata p. 14 figd., Zak 199; S. radiata Upper Lias figd. p. 85, ongleyi sp. nov. p. 86 Lower Lias. New Zealand, Marwick Paleont. Bull. Geol. Surv. N.Z. 21 1953; S. kaihikuana, carolinae, trechmanni p. 36 all figd., fragilis, otamitensis, parki figd. p. 37, novoseelandica figd. p. 38, Marwick 113.

ROSTROSPIRACEA

MERISTELLIDAE

†Hyattidina congesta figd. p. 29 pl. 11, Fisher 42.

†Merista? aff. laevis figd. p. 329, Gigour 53.

†Meristella laevis figd. p. 133, DALE 30; M. (?) crassa figd. p. 203 Silurian Norway, Holtedahl 78.

†Nucleospira pisiformis figd. p. 89, Dale 30; N. pisum p. 37, Kegel 88; N. hecetensis sp. nov. p. 61 fig. Upper Silurian S.E. Alaska, Kirk & Amsden Geol. Surv. Prof. Pap. Washington 133c 1952,

†Tyrothyris gen. nov. type species T. tyro sp. nov. p. 15, melicerta sp. nov. p. 17 both figd. L^r. Silurian Victoria, Öpik Mem. geol. surv. Victoria Australia 19 1953 [a punctate Meristellid.]

†Whitfieldella intermedia figd. p. 90, Dale 30.

RHYNCHOSPIRINIDAE

†Hustedia cf. H. meekana p. 701 figd., Walter 190; H. (?) sp. p. 190 figd., Nonaka 131; H. meekana figd. pl. 21, (?) sp. in rock section pl. 31, Newell & others 130; H. sicuaniensis p. 104 figd., meridionalis p. 105 figd., Cheonic 21; H. meekana p. 65 figd., m. plicatella subsp. nov. p. 66 figd., elongata sp. nov. p. 67 fig., Cooper Smithson. Misc. Coll. 119 2 1953.

†Ptychospira magna sp. nov. Mississippian Ohio, Hyde Bull. Ohio Geol. Surv. 51 1953.

†Retzia reticulata, morganiana p. 43 both figured, MARWICK 113; R. (?) umbra p. 37, Kegel 88.

†Retzia (Trigeria) radialis p. 14 figd., ZAK 199.

†Trigeria guerangeri p. 329, Gigout 53.

ATHYRIDAE

†Actinoconchus planosulcatus p. 185, PAPROTH 136.

†Athyris leveillei p. 185, Paprote 136; A. concentrica, undata p. 327 figd., royssii p. 340, 348 figd., sp. figd., p. 348, Gigout 53; A. kaihikuana p. 43 figd., wreyi figd., manzavinioides p. 44, Marwick 113; A. lamellosa figd. p. 255, Hyde 80; A. wreyi p. 96 figd., cf. kaikikuana p. 97 figd., cf. manzavinioides p. 98 figd., Drot 36.

†Camarophorella mutabilis p. 254, Hyde 80

†Cleiothyridina barbata p. 67 figd., intonsa p. 68 figd., Chronic 21; C. discussed, sp. nov. p. 16 figd., CAMPBELL 20.

†Composita cf. C. guadalupensis p. 690 figd., Walter 190; C. mira figd. pl. 21, Newell & others 130; C. grandis sp. nov. p. 56 figd., Middle Permian Mexico, Cooper Smithson. Misc. Coll. 119 2 1953; C. subtilita peruviana p. 69 figd., minuscula p. 72 figd., sp. p. 73, Chronic 21.

†Spirigera subcompressa p. 34; Kegel 88.

†Spirigerella discussed, sp. nov. p. 15, figd., Campbell 20.

GRYPHOIDEA TEREBRATULACEA

STRINGOCEPHALIDAE

†Bornhardtina p. 301, skalensis Sp. nov. p. 302, fig. p. 303-309, 113 Middle Devonian (L^r. Givetian) Poland, Biernat Acta Geol. Polon. 3 1953.

†Renssellandia Hall 1867 and Newberria Hall 1891 objective synonyms Type species Rensselaeria? johannis Hall 1867. Question discussed with proposed retention of Newberria SCHMIDT 159 p. 174.

DIELASMATIDAE

†Dielasma scitulum p. 95 figd., rotundum p. 96 figd., Chrronic 21; D. cf. himalayana sp., p. 101 figd., Drot 36; D. hastatum gillingensis p. 185, Paproth 136; D. new sp. figd. p. 189, Nonaka 131; D. zealandica figd., cf. himalayana p. 33, Marwick 113; D. spatulatum figd. pl. 21, Newell & others 130; D. hastata p. 349 figd., Groott 53; D. floresi sp. nov. p. 74 figd., cf. D. prolongatum p. 75 figd., cf. D. spatulatum p. 76 figd. Middle Permian Mexico, Cooper Smithson, Misc. Coll, 119 2 1953.

†Girtyella flora p. 256 figd., Hyde 80.

†Glossothyropsis redefined p. 72, magna sp. nov. p. 73 figd., Middle Permian Mexico, COOPER Smithson. Misc. Coll. 119 2 1953.

†Heterelasma contrerasi sp. nov. p. 71 figd., sp. p. 72 figd. Middle Permian Mexico, Cooper Smithson, Misc. Coll. 119 2 1953.

TEREBRATULIDAE

†Antinomia cf. sima p. 6 fig. ?Upper Portlandian E. Greenland, MUIR-WOOD 126.

† Gryphus kurotakiensis figd. pl. 55, Shikama 164.

†Kutchithyris hendersoni sp. nov. figd. p. 85, Bathonian-Callovian New Zealand, MARWICK Paleont. Bull. Geol. Surv. N.Z. 21 1953.

†Pygope aspasia p. 120 figd., Ronchetti & Brena 152.

†Terebratula albescens sp. nov. p. 153 figd. Upper Senonian or Danian Patagonia, Feruglio Pubbl. Inst. Geol. Univ. Torino 2 1953; 'T' mediterranea, var. elongata, var. pectita described from Gibraltar, Mulr.-Wood 127 p. 164; T. perovalis, phil[l]ipsi, maxillata, globata figd. pl. i, stephani pl. ii, Vesellnović 185; T. perovalis figd. pl. 3, Sikošek 167; T. hoernesi, Vigneaux & Buge 186 p. 24; T. sp. p. 5 fig., from the Callovian of E. Greenland, Mulr.-Wood 126; T. carteroniana figd., salevensis figd., valdensis, moutoniana figd., sueuri figd., p. 360, brivesi figd., euthymi figd., p. 361, biplicata p. 376 figd., Gigout 53;

T. stefaninii sp. nov. Jurassic Somaliland p. 103, figd., acutiplicata, p. 106, bisuffarcinata, bourgueti, pyroidea, jumarensis, euryptica, subrhomboidalis, ef. ingluviosa, ef. longiplicata, cf. zieteni, cf. suprajurensis p. 107, Colivicchi Mem. soc. tosc. sci. nat. 56A 1949; T. cf. grandis p. 16, HASSAN 64; T. suteri sp. nov. p. 148, subsuteri sp. nov. p. 150, aouatensis sp. nov. p. 154, dresnayi sp. nov. p. 155, d. var. tecta var. nov. p. 156, var. ampla var. nov., subtermieri sp. nov. p. 157, s. var. atlantiformis var. nov., ifranensis var. nov. p. 159, cf. infranensis, cf. hebbriensis p. 160, paucicostata sp. nov. p. 162, n. sp. (aff. riberoi, kuntzi sp. nov. p. 164, all figured, Middle Lias Morocco, Colo. Notes and Mém. Serv. Géol. Maroc. 117 1953; T. sp. figd., HENRIQUES DA SILVA 72 p. 2; T. indentata, lycetti figd. fig. 31, Jordana & Kindelán 85; T. dutempleana p. 186 figd., Maksimović & MARKOVIĆ 110; T. dutempleana figd. pl. 5, Marković-Stefanović 112; T. cf. hungarica, pachydentata p. 33, Marwick 113; T. mobergi figd. pl. 3, Pasić 138; T. n. sp. ind. p. 117 figd., punctata var. ind. p. 119 figd., Ronchetti & Brena 152.

†Terebratula (Avonothyris) corrugata recorded Somaliland p. 105, COLIVICCHI 22.

†Terebratula (Bihenithyris) barringtoni recorded Somaliland p. 105, COLIVICCHI 22.

†Terebratula (Cererithyris) williei [=wyllei] recorded Somaliland, Collvichi 22 p. 106.

†Terebratula (Charltonithyris) bihinensis recorded Somaliland p. 105, Colivicchi 22.

†Terebratula (Heimia) sp., MAR-WICK 113 p. 85.

†Terebratula (Loboidothyris) aualites p. 105, vinassai, p. 106 recorded Somaliland, Colivicchi 22.

†Terebratula (Lophrothyris) longisinuata, subsella p. 105, pelagica p. 106 recorded Somaliland, Colivicchi 22.

†Terebratula (Plectoidothyris) bicanaliculata p. 105, ruspolii p. 106, recorded Somaliland, Colivicohi 22. †Terebratula (Pseudoglossothyris) sulcata recorded Somaliland, Солтиссы 22 р. 106.

†Terebratula (Pygope) nucleata recorded Somaliland p. 106, Colivicomi 22.

†Terebratula (Striithyris) somaliensis recorded Somaliland p. 106, COLIVICOHI 22.

†Terebratula (Wattonithyris) cf. nunneyensis p. 106, Colivicchi 22.

†Terebratulina sp. p. 17, Hassan 64; T. japonica, tohokuensis figd. pl. 38, SHIKAMA 164; T. caputserpentis, Vigneaux & Buge 186 p. 24; T. chrysalis Von Schlotheim 1813, with lectotype Faujas St. Fond 1797, pl. 26, fig. 9, said to be syn. T. striatula Wahlenberg 1821 and T. striatula Mantell 1822, WIND 197.

TEREBRATELLACEA

MEGATHYRIDAE

†Argyrotheca johnstrupi Posselt 1894 said to be syn. A. cimbrorum Brunnich Nielsen 1928 and A. saltmountainensis Toulmin 1940; A. faxensis (Posselt) 1894 syn. A. posselti (Brünnich Nielsen) 1909 and A. beecheri (Clark) 1895, Wind 197.

†Megathyris davidsoni Bosquet 1860 said to be syn. M. brünnichi Rosenkrantz 1944, WIND 197.

DALLINIDAE

†Coptothyris grayi figd. pl. 38, SHIKAMA 164; C. grayi subsp. aomoriensis recorded from see, also fossil Hokkaido, Japan, HAYASAKA & UOZUMI 69 p. 95.

Diestothyris frontalis p. 95 recorded from Recent seas and fossil, Hokkaido Japan, HAYASAKA & Uozumi 69.

†Terebratalia tenuis figd. pl. 38, Shikama 164.

†Terebratula (Ismenia) hoeninghausi p. 361 figd., Gigout 53.

LAQUEINIDAE

†Kurakithyris quantoensis figd. pl. 55, Shikama 164.

TEREBRATELLIDAE

†Magas chitoniformis von Schlotheim 1813 said to be syn. Magas pumilus J. Sowerby 1818, Wind 197.

†Nipponithyris subovata figd. pl. 38, tayaensis pl. 55, Shikama 164.

†Pachymagas gigantea p. 131 figd., tehuelcha p. 132 figd. Upper Pliocene Patagonia, Feruglio 41.

Terebratella inconspicua, larval development described in 1944, compared with that of Tegulorhynchia former statement about orientation of pedicle valve emended and now said to be ventral like that of Tegulorhynchia, PERCIVAL 141 p. 436; T. (vel Magellania) rolli sp. nov. Upper Senonian or Danian Patagonia, FERUGLIO Pubbl. Inst. Geol. Univ. Torino 2 1953: 150 figd.

†Yabeithyris kanazawaensis figd. pl. 55, Shikama 164.

INCERTAE SEDIS

ZEILLERIIDAE

†Aulacothyris? sp. p. 102 figd., Drot 36.

†Terebratula (Ornithella) bat[h]onica var. bat[h]iensis, cinctaeformis, pupa recorded Somaliland, Colivicchi 22 p. 105, 106.

†Terebratula (Rugitela) emarginata р. 105 recorded Somaliland, Соыviccні 22.

†Waldheimia impressa section through shell X45. Ur. Jurassic Impressa Clay, Württemberg, HAGN 62 p. 43 fig. 9.

†Zeilleria gallienei p. 107, recorded Somaliland, Colivicom 22; Z. aff, tenuiplicata described from Gibraltar, Mura-Wood 127 p. 164.

INCERTAE SEDIS

†Coenothyris sp. figd., MARWICK 113 p. 34.

ERRATUM

TEREBRATULIDAE

†Weldonithyris gen. nov. type species W. weldonensis sp. nov., MUIR-WOOD Proc. geol. Assoc. 63 2 1952 included incorrectly in Terebratellacea in Zool. Record for 1952.



